

Niagara Summary of Pollutant Concetration for Rialto's Wastewater Discharge

Date	pH (S.U.)	TSS (mg/L)	BOD (mg/L)	TDS (mg/L)	TDS (ppd)
10/2/2024	6.12	102	2,740	332	462
10/18/2024			1,080		
10/30/2024			239		
11/5/2024	7.69	252	23	5	455
11/12/2024			561		
11/26/2024			851		
12/3/2024	6.89	482	85.4	8	462
12/12/2024		2	<87		
12/19/2024			1,450		
12/24/2024			<80		
12/31/2024			<87		
1/7/2025	7.98	124	81	441	455
1/16/2025			774		
1/23/2025			<82		
1/28/2025			<93		
2/4/2025	7.4	4	<98	642	527
2/14/2025			671		
2/20/2025			254		
2/28/2025			444		
3/4/2025	7.99	5	317	514	526
3/13/2025			983		
3/18/2025			365		
3/25/2025			111		
4/1/2025	6.63	2	84.3	734	765
4/8/2025			220		
4/14/2025			703		
4/22/2025			219		
5/2/2025	7.81	34	<64.1	390	670
5/8/2025	8.4	56	39	380	City
5/15/2025			1,370		
5/20/2025			1,720		
5/27/2025			<60.7		
6/3/2025			<87.7		
SNC					
2024 SNC %		45%	45%		
2025 SNC %		32%	27%		