



1 Freeway Commercial (F-C) within the Gateway Specific Plan to Industrial Park (I-P) within the  
2 Gateway Specific Plan (“SPA No. 2022-0002”); and

3 WHEREAS, in conjunction with the Project, the applicant submitted Conditional  
4 Development Permit No. 2022-0019 (“CDP No. 2022-0019”) to facilitate the development and  
5 operation of one (1) 46,758 square foot industrial warehouse building and one (1) 73,210 square foot  
6 industrial warehouse building on the Site, and CDP No. 2022-0019 is necessary to facilitate the  
7 Project; and

8 WHEREAS, on April 15, 2026, the Planning Commission of the City of Rialto conducted a  
9 duly noticed public hearing, as required by law, on PPD No. 2022-0031, GPA No. 2022-0001, SPA  
10 No. 2022-0002, and CDP No. 2022-0019, took testimony, at which time it received input from staff,  
11 the city attorney, and the applicant; heard public testimony; discussed the proposed PPD No. 2022-  
12 0031, GPA No. 2022-0001, SPA No. 2022-0002, and CDP No. 2022-0019; and closed the public  
13 hearing; and

14 WHEREAS, all legal prerequisites to the adoption of this Resolution have occurred.

15 NOW, THEREFORE, BE IT RESOLVED by the Planning Commission of the City of Rialto  
16 as follows:

17 SECTION 1. The Planning Commission hereby specifically finds that all of the facts set forth  
18 in the recitals above of this Resolution are true and correct and incorporated herein.

19 SECTION 2. Based on substantial evidence presented to the Planning Commission during  
20 the public hearing conducted with regard to PPD No. 2022-0031, including written staff reports,  
21 verbal testimony, site plans, other documents, and the conditions of approval stated herein, the  
22 Planning Commission hereby determines that PPD No. 2022-0031 satisfies the requirements of  
23 Section 18.65.020E of the Rialto Municipal Code pertaining to the findings which must be made  
24 precedent to granting a Precise Plan of Design. The findings are as follows:

- 25
- 26 1. The proposed development is in compliance with all city ordinances and regulations,  
27 unless in accordance with an approved variance; and

28 *This finding is supported by the following facts:*

1 GPA No. 2022-0001, prepared in conjunction with the Project, will change the general plan  
2 land use designation of the Site to Business Park (BP) with a Specific Plan Overlay. SPA No.  
3 2022-0002, prepared in conjunction with the Project, will change the specific plan zoning  
4 designation of the Site to Industrial Park (I-P) within the Gateway Specific Plan. The Project,  
5 as conditioned herein, will comply with all City ordinances and regulations including those  
6 of the proposed I-P zoning district, the Gateway Specific Plan, and the City's Design  
7 Guidelines. The I-P zoning district allows for the development and operation of industrial  
8 warehouse buildings, as proposed by the Project. Additionally, the Project meets all of the  
9 required development standards of the proposed I-P zoning district including, but not limited  
10 to, required building setbacks, parking, landscaping, building height, floor area ratio, etc.  
11

12 2. The site is physically suitable for the proposed development, and the proposed  
13 development will be arranged, designed, constructed, and maintained so that it will  
14 not be unreasonably detrimental or injurious to property, improvements, or the health,  
15 safety or general welfare of the general public in the vicinity, or otherwise be  
16 inharmonious with the city's general plan and its objectives, zoning ordinances or any  
17 applicable specific plan and its objectives; and  
18

19 *This finding is supported by the following facts:*

20 The Site is approximately 6.02 acres in size, is fairly level, and adjacent to two (2) public  
21 streets, which will be able to accommodate the proposed use. To the north of the project  
22 site, is vacant land with a wireless telecommunications facility, to the east is an existing  
23 self-storage facility and Flood Control channel, to the west across Willow Avenue, is a  
24 492,410 square foot industrial building, and to the south across Valley Boulevard, is a  
25 vacant non-conforming site. The Project is consistent with the proposed I-P zoning district  
26 and the surrounding land uses. The nearby area is predominantly designated for and  
27 developed with industrial uses, and as a result, there are no sensitive land uses adjacent to  
28 or across the street from the project site. The project is not expected to negatively impact  
any uses with the successful implementation of measures such as landscape buffering, the  
installation of solid screen walls, and aesthetic building enhancements.

3. The proposed development will not unreasonably interfere with the use or enjoyment  
of neighboring property rights or endanger the peace, health, safety or welfare of the  
general public; and

*This finding is supported by the following facts:*

The Project's effects will be minimized through the implementation of the Conditions of  
Approval contained herein, such as extensive landscaping, concrete screen walls, decorative  
paving, and enhanced architectural features. To the north of the project site, is vacant land  
with a wireless telecommunications facility, to the east is an existing self-storage facility and  
Flood Control channel, to the west across Willow Avenue, is a 492,410 square foot industrial  
building, and to the south across Valley Boulevard, is a vacant non-conforming site. The  
Project is consistent with the proposed I-P zoning district and the surrounding land uses. The  
nearby area is predominantly designated for and developed with industrial uses, and as a

1 result, there are no sensitive land uses adjacent to or across the street from the project site.  
2 The project is not expected to negatively impact any uses with the successful implementation  
3 of measures such as landscape buffering, the installation of solid screen walls, and aesthetic  
building enhancements.

4 4. The proposed development will not substantially interfere with the orderly or planned  
5 development of the City of Rialto.

6 *This finding is supported by the following facts:*

7 The Project is consistent with the proposed Industrial Park (I-P) zoning district and is a logical  
8 addition to the existing industrial buildings and developments to the west and northeast of the  
9 Site and throughout much of the Gateway Specific Plan area. The design of the Project will  
10 ensure a continuation of the public improvements and aesthetics present in the surrounding  
11 area. The City staff have reviewed the design of the Project to ensure compliance with all  
health, safety, and design requirements to ensure the Project will enhance the infrastructure  
and aesthetics of the local community.

12 SECTION 3. An Initial Study (Environmental Assessment Review No. 2022-0033) has been  
13 prepared for GPA No. 2022-0001, SPA No. 2022-0002, CDP No. 2022-0019, and PPD No. 2022-  
14 0031 in accordance with the California Environmental Quality Act (CEQA). Based on the findings  
15 and recommended mitigation with the Initial Study, staff determined that the project will not have an  
16 adverse impact on the environment, provided that mitigation measures are implemented, and a  
17 Mitigated Negative Declaration was prepared. The local newspaper published a copy of the Notice  
18 of Intent to adopt the Mitigated Negative Declaration for the project, and the City mailed the notice  
19 to all property owners within 1,000 feet of the project site for a public comment period held from  
20 February 11, 2026 to March 12, 2026. The Mitigated Negative Declaration was prepared in  
21 accordance with CEQA. The Planning Commission hereby recommends that the City Council adopt  
22 the Mitigated Negative Declaration and direct the Planning Division to file the necessary  
23 documentation with the Clerk of the Board of Supervisors for San Bernardino County.

24 SECTION 4. The Planning Commission hereby recommends that the City Council approve  
25 PPD No. 2022-0031, in conjunction with GPA No. 2022-0001, SPA No. 2022-0002, and CDP No.  
26 2022-0019, to allow the development of one (1) 46,758 square foot industrial warehouse building  
27 and one (1) 73,210 square foot industrial warehouse building on approximately 6.02 acres of land  
28

1 (APNs: 0132-182-08, -09, & 0132-202-04) located at the northeast corner of Valley Boulevard and  
2 Willow Avenue, in accordance with the plans and application on file with the Planning Division,  
3 subject to the following Conditions of Approval:  
4

- 5 1. The applicant is granted PPD No. 2022-0031 allowing the development of one (1)  
6 46,758 square foot industrial warehouse building and one (1) 73,210 square foot  
7 industrial warehouse building and associated paving, landscaping, fencing, lighting, and  
8 drainage improvements on approximately 6.02 acres of land (APNs: 0132-182-08, -09,  
& 0132-202-04) located at the northeast corner of Valley Boulevard and Willow  
Avenue, subject to the Conditions of Approval contained herein.
- 9 2. The approval of PPD No. 2022-0031 is granted for a two (2) year period from the date  
10 of approval. Approval of PPD No. 2022-0031 will not become effective until the  
11 applicant has signed a Statement of Acceptance acknowledging awareness and  
12 acceptance of the required Conditions of Approval contained herein. Any request for  
an extension shall be reviewed by the Community Development Director and shall be  
based on the progress that has taken place toward the development of the project.
- 13 3. The development associated with PPD No. 2022-0031 shall conform to the site plan,  
14 floor plan, exterior elevations, conceptual grading plan, and conceptual landscape plan  
15 attached hereto as Exhibit A, except as may be required to be modified based on the  
Conditions of Approval contained herein.
- 16 4. The development associated with PPD No. 2022-0031 shall comply with all Conditions  
17 of Approval contained within GPA No. 2022-0001, SPA No. 2022-0002, and CDP No.  
18 2022-0019.
- 19 5. The development associated with PPD No. 2022-0031 shall comply with all applicable  
20 sections of the Gateway Specific Plan, the Rialto Municipal Code, and all other  
applicable State and local laws and ordinances.
- 21 6. City inspectors shall have access to the site to reasonably inspect the site during  
22 normal working hours to assure compliance with these conditions and other codes.
- 23 7. The applicant shall indemnify, protect, defend, and hold harmless, the City of Rialto,  
24 and/or any of its officials, officers, employees, agents, departments, agencies, and  
25 instrumentalities thereof (collectively, the "City Parties"), from any and all claims,  
26 demands, law suits, writs of mandamus, and other actions and proceedings (whether  
27 legal, equitable, declaratory, administrative or adjudicatory in nature), and alternative  
28 dispute resolutions procedures (including, but not limited to arbitrations, mediations,  
and other such procedures), (collectively "Actions"), brought against the City, and/or  
any of its officials, officers, employees, agents, departments, agencies, and  
instrumentalities thereof, that challenge, attack, or seek to modify, set aside, void, or  
annul, the any action of, or any permit or approval issued by, the City and/or any of

1 its officials, officers, employees, agents, departments, agencies, and instrumentalities  
2 thereof (including actions approved by the voters of the City), for or concerning the  
3 Project (collectively, the “Entitlements”), whether such Actions are brought under  
4 the California Environmental Quality Act, the Planning and Zoning Law, the  
5 Subdivision Map Act, Code of Civil Procedure Chapter 1085 or 1094.5, the  
6 California Public Records Act, or any other state, federal, or local statute, law,  
7 ordinance, rule, regulation, or any decision of a court of competent jurisdiction. This  
8 condition to indemnify, protect, defend, and hold the City harmless shall include, but  
9 not be limited to (i) damages, fees and/or costs awarded against the City, if any, and  
10 (ii) cost of suit, attorneys’ fees and other costs, liabilities and expenses incurred in  
11 connection with such proceeding whether incurred by applicant, Property owner, or  
12 the City and/or other parties initiating or bringing such proceeding (collectively,  
13 subparts (i) and (ii) are the “Damages”). Notwithstanding anything to the contrary  
14 contained herein, the Applicant shall not be liable to the City Parties under this  
15 indemnity to the extent the Damages incurred by any of the City Parties in such  
16 Action(s) are a result of the City Parties’ fraud, intentional misconduct or gross  
17 negligence in connection with issuing the Entitlements. The applicant shall execute  
18 an agreement to indemnify, protect, defend, and hold the City harmless as stated  
19 herein within five (5) days of approval of PPD No. 2022-0031.

- 20 8. In accordance with the provisions of Government Code Section 66020(d)(1), the  
21 imposition of fees, dedications, reservations, or exactions for this Project, if any, are  
22 subject to protest by the applicant at the time of approval or conditional approval of  
23 the Project or within 90 days after the date of the imposition of the fees, dedications,  
24 reservations, or exactions imposed on the Project.
- 25 9. Approval of PPD No. 2022-0031 will not be valid until such time that the City Council  
26 has approved GPA No. 2022-0001, SPA No. 2022-0002, and CDP No. 2022-0019,  
27 which were prepared in conjunction with the Project.
- 28 10. The applicant shall complete and abide by all pre-construction mitigation measures  
contained within the Mitigation Monitoring and Reporting Program associated with  
Environmental Assessment Review No. 2022-0033, prior to the issuance of a grading  
permit.
11. The applicant shall complete and abide by all during-construction mitigation measures  
contained within the Mitigation Monitoring and Reporting Program associated with  
Environmental Assessment Review No. 2022-0033, prior to the conducting of a final  
inspection by the Building Division.
12. The applicant shall secure the services of a tribal cultural monitor to be present during  
all ground disturbance activities associated with the construction of this project. The  
tribal cultural monitor shall be approved by the Gabrieleño Band of Mission Indians-  
Kizh Nation, and documentation of coordination between the applicant and the  
Gabrieleño Band of Mission Indians-Kizh Nation on this matter shall be provided to the  
Planning Division prior to the issuance of a grading permit.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28
13. The applicant shall install decorative pavement within each driveway connected to Valley Boulevard and Willow Avenue. The decorative pavement shall extend across the entire width of each driveway and shall have a minimum depth of twenty-five (25) feet as measured from the property lines along Valley Boulevard and Willow Avenue. Decorative pavement means decorative pavers and/or color concrete with patterns and color variety. The location of the decorative pavement shall be identified on the Precise Grading Plan prior to the issuance of a grading permit. Additionally, the location and type of decorative pavement shall be identified on the formal Landscape Plan submittal, and other on-site improvement plans, prior to the issuance of building permits.
14. In order to provide enhanced building design in accordance with Chapter 18.61 (Design Guidelines) of the Rialto Municipal Code, the applicant shall route all drainage downspouts through the interior of the buildings. The internal downspouts shall be identified within the formal building plan check submittal prior to the issuance of building permits.
15. In order to provide enhanced building design in accordance with Chapter 18.61 (Design Guidelines) of the Rialto Municipal Code, the applicant shall construct parapet returns, at least three (3) feet in depth from the main wall plane, at all height variations on all four (4) sides of the building. The parapet returns shall be demonstrated on the roof plans within the formal building plan check submittal prior to the issuance of building permits.
16. In order to provide enhanced building design in accordance with Chapter 18.61 (Design Guidelines) of the Rialto Municipal Code, the applicant shall provide internal roof access only for the building. The internal roof access shall be identified within the formal building plan check submittal prior to the issuance of building permits.
17. All new walls, including any retaining walls, shall be comprised of decorative masonry block or decorative concrete. Decorative masonry block means tan-colored slumpstone block, tan-colored split-face block, or precision block with a stucco, plaster, or cultured stone finish. Decorative concrete means painted concrete with patterns, reveals, and/or trim lines. Pilasters shall be incorporated within all new walls visible from the public right-of-way. The pilasters shall be spaced a maximum of seventy (70) feet on-center and shall be placed at all corners and ends of the wall. All pilasters shall protrude a minimum of six (6) inches above and have a depth and width of at least three (3) feet. All decorative masonry walls and pilasters, including retaining walls, shall include a decorative masonry cap. All walls and pilasters shall be identified on the site plan and Precise Grading Plan, and an elevation detail for the walls shall be included in the formal building plan check submittal prior to the issuance of building permits.
18. Any new fencing installed on site shall be comprised of tubular steel. Decorative masonry or decorative concrete pilasters, with a minimum dimension of thirty-six (36) inch square, shall be incorporated within all new fencing visible from any public right-of-way. Decorative masonry block means tan slumpstone block, tan split-face block, or

1 precision block with a stucco, plaster, or cultured stone finish. Decorative concrete  
2 means painted concrete with patterns, reveals, and/or trim lines. The pilasters shall be  
3 spaced a maximum of seventy (70) feet on-center and shall be placed at all corners and  
4 ends of the fencing. All decorative masonry pilasters shall include a decorative masonry  
5 cap. All fencing and pilasters shall be identified on the site plan, and an elevation detail  
6 for the fencing and pilasters shall be included in the formal building plan check submittal  
7 prior to the issuance of building permits.

- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
19. The applicant shall construct at least one (1) ADA accessible trash enclosure for each building on the project site. The trash enclosures shall provide room for one (1) commercial waste container and one (1) commercial recycling container. The exterior of each trash enclosure shall match the material and base color of the buildings. Additionally, the trash enclosures shall contain solid steel doors and a flat solid cover. Corrugated metal and chain-link are not acceptable materials to use as a part of the trash enclosures. The location of the trash enclosures shall be identified on the site plan within the formal building plan check prior to the issuance of building permits. An elevation detail for the trash enclosures shall be provided within formal building plan check submittal prior to the issuance of building permits.
  20. All light standards installed on site, shall have a maximum height of twenty-eight (28) feet, as measured from the finished surface, including the base. Lighting shall be shielded and/or directed toward the site so as not to produce direct glare or "stray light" onto adjacent properties. All light standards shall be identified on the site plan and a note indicating the height restriction shall be included within the formal building plan check submittal prior to the issuance of building permits.
  21. The applicant shall submit a formal Landscape Plan to the Planning Division prior to the issuance of building permits. The submittal shall include three (3) sets of planting and irrigation plans, a completed Landscape Plan Review application, and the applicable review fee.
  22. The applicant shall plant one (1) tree every three (3) parking spaces. All parking lot trees shall be a minimum of fifteen (15) gallons in size, upon initial planting. Thereafter, the parking lot trees shall be permanently irrigated and maintained. All parking lot tree species shall consist of evergreen broadleaf trees. The trees shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
  23. The applicant shall plant one (1) tree every thirty (30) feet on-center within the on-site landscape setbacks along Valley Boulevard, and Willow Avenue. All trees within the landscape setback shall be a minimum of twenty-four (24) inch box in size, upon initial planting. Thereafter, the trees within the landscape setback shall be permanently irrigated and maintained by the property owner. At least fifty (50) percent of the trees within the setback shall consist of evergreen broadleaf trees, while the remaining percentage may consist of broadleaf deciduous trees and/or palm trees. The trees shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.

- 1
24. The applicant shall plant one (1) tree every thirty (30) feet on-center within the public right-of-way parkway along Valley Boulevard. All trees within the public right-of-way parkway shall be a minimum of twenty-four (24) inch box in size, upon initial planting. Thereafter, the trees within the public right-of-way parking shall be permanently irrigated and maintained, as required by the Public Works Department. The street tree species along Valley Boulevard shall be the *Tristania Conferta* “Brisbane Box” and/or the *Liriodnedron Tulipifera* “Tulip Tree”. The street trees shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
- 7
25. The applicant shall plant one (1) tree every thirty (30) feet on-center within the public right-of-way parkway along Willow Avenue. All trees within the public right-of-way parkway shall be a minimum of twenty-four (24) inch box in size, upon initial planting. Thereafter, the trees within the public right-of-way parking shall be permanently irrigated and maintained, as required by the Public Works Department. The street tree species along Willow Avenue shall be the *Geijera Parviflora* “Australian Willow” and/or the *Lagerstromia Indica* “Crape Myrtle”. The street trees shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
- 13
26. The applicant shall plant shrubs that surround all ground mounted equipment and utility boxes, including transformers, fire-department connections, backflow devices, etc. for the purpose of providing screening of said equipment and utility boxes. All equipment and utility box screen shrubs shall be a minimum of five (5) gallons in size upon initial planting, and the shrubs shall be spaced no more than three (3) feet on-center. Thereafter, the equipment and utility box screen shrubs shall be permanently irrigated and maintained into a continuous box-shape with a height of no less than three and one-half (3.5) feet above the finished grade. The shrubs shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
- 19
27. The applicant shall plant trees, shrubs, and groundcover throughout all land on-site and off-site (adjacent to the project site) that is not covered by structures, walkways, parking areas, and driveways, as approved by the Planning Division, unless specified otherwise herein. Trees shall be planted a minimum of thirty (30) feet on-center, and all shrubs and groundcover shall be planted an average of three (3) feet on-center or less, or as approved by the Planning Division. All trees shall be minimum of fifteen (15) gallons in size upon initial planting, unless otherwise specified herein. At least fifty (50) percent of the trees shall consist of evergreen broadleaf trees, while the remaining percentage may consist of broadleaf deciduous trees and/or palm trees. All shrubs shall be a minimum of one (1) gallon in size, unless otherwise specified herein. All planter areas shall receive a minimum two (2) inch thick layer of brown bark, organic mulch, and/or decorative rock upon initial planting. Pea gravel and decomposed granite are not acceptable materials to use within planter areas. All planter areas on-site shall be permanently irrigated and maintained. The planting and irrigation shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
- 28

- 1 28. All planting and irrigation shall be installed on-site in accordance with the approved  
2 landscape plans and permit prior to the issuance of a Certificate of Occupancy. The  
3 installation of the planting and irrigation shall be certified in writing by the landscape  
4 architect responsible for preparing the landscape plans prior to the issuance of a  
5 Certificate of Occupancy.
- 6 29. Any tubular steel fencing and/or sliding gates shall be painted black prior to the issuance  
7 of a Certificate of Occupancy, unless specified otherwise herein.
- 8 30. All non-glass doors shall be painted to match the color of the adjacent wall prior to the  
9 issuance of a Certificate of Occupancy.
- 10 31. The applicant shall comply with all conditions of approval for PPD No. 2022-0031 to  
11 the satisfaction of the City Engineer, prior to the issuance of a Certificate of Occupancy.
- 12 32. All improvements within the public right-of-way require a City of Rialto Encroachment  
13 Permit.
- 14 33. The applicant shall pay all applicable development impact fees in accordance with the  
15 current City of Rialto fee ordinance including any applicable Transportation Fair Share  
16 Contribution fees subject to the California Construction Cost Index (CCCI) for  
17 escalation of construction costs, prior to the issuance of any building permit related to  
18 the Project.
- 19 34. Prior to issuance of building permit, the applicant shall pay all applicable development  
20 impact fees in accordance with the current City of Rialto fee ordinance including  
21 Transportation Fair Share Contribution fees. The fair-share amount shall be subject to  
22 the California Construction Cost Index (CCCI) for escalation of construction costs.
- 23 35. The applicant is responsible for requesting address assignment from the Planning  
24 Division for any new building, irrigation water meter and electrical pedestal. Addresses  
25 for irrigation meters must be based upon approved civil plans. Addresses for electrical  
26 pedestals must be based upon approved SCE plans. The main building address shall be  
27 included on Precise Grading Plans and Building Plan set along with the PPD number.  
28 The electrical meter pedestal addresses (single or dual) shall be included in the public  
improvement plans.
36. A separate Off-Site Construction Permit is required for each type of improvement within  
the public right-of-way, including street, dry utility, and wet utility (RWS only). To  
expedite and coordinate all improvements in the public right-of-way, the applicant shall  
submit a multi-phase master traffic control plan that includes all phases of construction  
(e.g., sewer, water, overhead, underground, etc.) prior to permit issuance. For simplicity,  
the Off-Site Construction Permits will replace individual Encroachment Permits  
typically obtained by the developer's contractor.

- 1 37. At the discretion of the City Engineer, the applicant shall apply for annexation of the  
2 underlying property into City of Rialto Landscape and Lighting Maintenance District  
3 No. 2 (“LLMD 2”) or enter into a landscape maintenance agreement to be recorded on  
4 the property. An application fee of \$5,000 shall be paid at the time of application.  
5 Annexation into LLMD 2 is a condition of acceptance of any new median, parkway,  
6 and/or easement landscaping, or any new public street lighting improvements, to be  
7 maintained by the City of Rialto. All final approved plans and documents required for  
8 the annexation shall be submitted by the property owner prior to issuance of a building  
9 permit. The annexation process shall be completed prior to recordation of any  
10 applicable Final Tract/Parcel Maps. For developments with no Final Maps or if the  
11 Final Map does not create any new parcels, the annexation process shall be completed  
12 prior to issuance of any certificate of occupancy. Due to the required City Council  
13 Public Hearing action, the annexation process takes months and as such the developer  
14 is advised to submit all plans and documents required for Special District annexation as  
15 early-on in the in the plan review and permitting process to avoid any delays with  
16 issuance of permit(s) and certificate(s) of occupancy or approval of final map(s).
- 17 38. The applicant shall submit off-site landscaping and irrigation system improvement plans  
18 for review and approval at the time of first (1<sup>st</sup>) public improvement plan submittal to  
19 the Engineering Services Department. The parkway irrigation system shall be separately  
20 metered from the on-site private irrigation to be maintained for a period of one (1) year  
21 and annexed into a Special District. The off-site landscape and irrigation plans must  
22 show separate electrical and water meters to be annexed into the Landscape and  
23 Lighting Maintenance District No. 2 via a City Council Public Hearing. The landscape  
24 and irrigation plans shall be approved concurrently with the street improvement plans,  
25 including the median portion, prior to issuance of a building permit. The landscaping  
26 architect must contact the City of Rialto Landscape Contract Specialist at (909) 820-  
27 2602 to ensure all landscape and irrigation guidelines are met prior to plan approval.  
28 Electrical and water irrigation meter pedestals must not be designed to be installed at or  
near street intersections or within a raised median to avoid burdensome traffic control  
set-up during ongoing maintenance. The off-site Landscape and Irrigation plans shall  
be designed in accordance with the Maintenance and Facilities’ Landscape Maintenance  
District Guidelines.
39. All median, applicable landscape easement, and parkway landscaping shall be  
guaranteed for a period of one year from the date of acceptance by the City Engineer  
acceptance. Any landscaping that fails during the one-year landscape maintenance  
period shall be replaced with similar plant material to the satisfaction of the City  
Engineer and shall be subject to a subsequent one-year landscape maintenance period.  
The applicant must contact the City of Rialto Landscape Contract Specialist at (909)  
820-2602 to confirm a full twelve (12) months’ time of non-interrupted ongoing  
maintenance.
40. The applicant shall install City Engineer approved deep root barriers, in accordance with  
the Engineering Services Department Landscape and Irrigation Guidelines, for all trees  
installed within ten (10) feet of the public sidewalk and/or curb.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28
41. All new street lights shall be installed on an independently metered, City-owned underground electrical system. The developer shall be responsible for applying with Southern California Edison (“SCE”) for all appropriate service points and electrical meters. New meter pedestals shall be installed, and electrical service paid by the developer, until such time as the underlying property is annexed into LLMD 2. The City shall not pay the charges for electrical service until the landscape and irrigation is accepted after the one-year maintenance period and the underlying property is annexed into LLMD 2.
  42. If and where deficiencies in the existing system occur, the applicant shall construct a new underground electrical system for public street lighting improvements along the project frontages of Valley Boulevard, and Willow Avenue, as determined necessary by the City Engineer. New marbelite streetlight poles with LED light fixtures shall be installed in accordance with City of Rialto Standard Drawings, as determined necessary by the City Engineer. Additionally, the applicant shall provide 2” conduit and pull boxes along the opposite side of the street for continuation of the streetlight system for future built out.
  43. The applicant shall submit street light improvement plans, along the entire project frontage, prepared by a registered California civil engineer to the Engineering Services Department for review. The plans shall be approved by the City Engineer prior to the issuance of building permit or off-site construction permit.
  44. The applicant shall submit sewer improvement plans by a registered California civil engineer to the Engineering Services Department for review. The plans shall be approved by the City Engineer prior to the issuance of building permits in accordance with an approved Subdivision Improvement Agreement.
  45. The applicant shall submit copies of approved water improvement plans prepared by a registered California civil engineer to the Engineering Services Department for record purposes. The plans shall be approved by Rialto Water Services, the City’s water purveyor, prior to the issuance of building permits in accordance with an approved Subdivision Improvement Agreement.
  46. The applicant shall submit a Precise Grading/Paving Plan prepared by a California registered civil engineer to the Engineering Services Department for review and approval. The Grading Plan shall be approved by the City Engineer prior to the issuance of any building permit.
  47. The applicant shall submit a Geotechnical/Soils Report, prepared by a California registered Geotechnical Engineer, for and incorporated as an integral part of the grading plan for the proposed development. A copy of the Geotechnical/Soils Report shall be submitted to the Engineering Services Department with the first submittal of the Precise Grading Plan.

- 1 48. The project shall submit civil engineering design plans, reports and/or documents,  
2 prepared by a registered/licensed civil engineer, for review and approval by the City  
3 Engineer per the current submittal requirements, prior to the indicated threshold or as  
4 required by the City Engineer:
- 5 a. PRECISE GRADE W/ EROSION CONTROL PLAN (prior to grading permit  
6 issuance)
  - 7 b. PUBLIC IMPROVEMENT PLAN – plans may include: Street, Signing &  
8 Striping, Landscape & Irrigation, traffic signal modification, etc. (prior to off-site  
9 construction permit issuance, whichever occurs first)
  - 10 c. FINAL DRAINAGE STUDY (prior to grading plan approval)
  - 11 d. FINAL WQMP (prior to grading plan approval)
  - 12 e. LEGAL DOCUMENTS (e.g. EASEMENT(S), DEDICATION(S), LOT LINE  
13 ADJUSTMENT, LOT MERGER, VACATION, etc.) (prior to Building Permit  
14 Issuance or Occupancy Release).
  - 15 f. AS-BUILT/RECORD DRAWINGS for all plans (prior to occupancy approval)
- 16 49. The applicant shall provide rough grade (pad elevation) certification, engineered-fill  
17 certification, and compaction report for all building pads in conformance with the  
18 approved rough or precise grading plan, to the Engineering Services Department prior  
19 to construction of any building foundation or issuance of building permit.
- 20 50. Prior to issuance of building permit, the applicant shall submit a Public Improvement  
21 Agreement (PIA) and the required security to the Engineering Division for review and  
22 acceptance.
- 23 51. The applicant shall provide precise/final grade certification prior to Certificate of  
24 Occupancy approval.
- 25 52. Prior to issuance of a building permit, the applicant shall submit a Lot Merger addressing  
26 the 3 parcels, to the Engineering division for review and approval and recordation with  
27 the San Bernardino County Recorder’s office
- 28 53. The public and street improvements outlined in these conditions of approval are intended  
to convey to the developer an accurate scope of required improvements, however, the  
City Engineer reserves the right to require reasonable additional improvements as may  
be determined in the course of the review and approval of street improvement plans  
required by these conditions.
54. Prior to grading plan approval, the applicant shall provide preliminary Southern  
California Edison (SCE) plans to the Engineering Division for review. The plans shall  
show undergrounding of overhead utilities as follows:
- a. East side of Willow Avenue from Valley Boulevard to the northerly property line  
of APN 0132-202-05

- b. North side of Valley Boulevard from Willow Avenue to the easterly project property line.
- c. All improvements shall comply with City standards and requirements.

- 55. Construct asphalt concrete paving for streets in two separate lifts. The final lift of asphalt concrete pavement shall be postponed until such time that on-site construction activities are complete, as may be determined by the City Engineer. Paving of streets in one lift prior to completion of on-site construction will not be allowed unless prior authorization has been obtained from the City Engineer. Completion of asphalt concrete paving for streets prior to completion of on-site construction activities, if authorized by the City Engineer, will require additional paving requirements prior to acceptance of the street improvements, including, but not limited to: removal and replacement of damaged asphalt concrete pavement, overlay, slurry seal, or other repairs, as required by the City Engineer.
- 56. All street cuts for utilities shall be repaired in accordance with City Standard SC-231 within 72 hours of completion of the utility work; and any interim trench repairs shall consist of compacted backfill to the bottom of the pavement structural section followed by placement of standard base course material in accordance with the Standard Specifications for Public Work Construction (“Greenbook”). The base course material shall be placed the full height of the structural section to be flush with the existing pavement surface and provide a smooth pavement surface until permanent cap paving occurs using an acceptable surface course material.
- 57. In accordance with City Ordinance No. 1589, adopted to preserve newly paved streets, all street and/or trench cuts in street newly paved or slurry will be subject to moratorium street repair standards as referenced in Section 11.04.145 of the Rialto Municipal Code. Contact the Engineering Services Department for a list of streets subject to the moratorium.
- 58. Any utility trenches or other excavations within existing asphalt concrete pavement of off-site streets required by the proposed development shall be backfilled and repaired in accordance with City of Rialto Standard Drawings. The developer shall be responsible for removing, grinding, paving and/or overlaying existing asphalt concrete pavement of off-site streets as required by and at the discretion of the City Engineer, including pavement repairs in addition to pavement repairs made by utility companies for utilities installed for the benefit of the proposed development (i.e., Fontana Water Company, Southern California Edison, Southern California Gas Company, Time Warner, Verizon, etc.). Multiple excavations, trenches, and other street cuts within existing asphalt concrete pavement of off-site streets required by the proposed development may require complete grinding and asphalt concrete overlay of the affected off-site streets, at the discretion of the City Engineer. The pavement condition of the existing off-site streets shall be returned to a condition equal to or better than what existed prior to construction of the proposed development.

- 1 59. In accordance with Chapter 15.32 of the City of Rialto Municipal Code, all existing and  
2 new electrical distribution lines of sixteen thousand volts or less and overhead service  
3 drop conductors, and all telephone, television cable service, and similar service wires or  
4 lines, which are on-site, abutting, and/or transecting, shall be installed underground.  
5 Utility undergrounding shall extend to the nearest off-site power pole. This may require  
6 undergrounding beyond the project limits on Willow Avenue to prevent any existing  
7 poles to remain or new poles to be placed for guy wire purposes along the project  
8 frontage. New power poles shall not be installed unless otherwise approved by the City  
9 Engineer. A letter from the owners of the affected utilities shall be submitted to the City  
10 Engineer prior to approval of the Grading Plan, informing the City that they have been  
11 notified of the City's utility undergrounding requirement and their intent to commence  
12 design of utility undergrounding plans. When available, the utility undergrounding plan  
13 shall be submitted to the City Engineer identifying all above ground facilities in the area  
14 of the project to be undergrounded..
- 15 60. The applicant shall traffic signal modification plans prepared by a California registered  
16 civil engineer or traffic engineer, for review and approval by the City Engineer. All  
17 required traffic striping and signage improvements shall be completed concurrently with  
18 required street improvements to the satisfaction of the City Engineer prior to the  
19 issuance of building permit or off-site construction permit. The traffic signal  
20 modifications shall include new or upgraded video detection system and new or  
21 upgraded battery backup system.
- 22 61. The applicant shall complete all required traffic signal modifications at the intersection  
23 of Willow Avenue and Valley Boulevard, to the satisfaction of the City Engineer.  
24 Improvements shall include, but are not limited to, video detection upgrades, Battery  
25 Backup System (BBS) upgrades, and ADA-compliant curb ramps for the entire  
26 intersection, prior to occupancy approval.
- 27 62. The applicant shall reconstruct any broken, chipped, or unsatisfactory sidewalks or curbs  
28 along the entire project frontage, in accordance with the General Plan and the City of  
Rialto Standard Drawings, as required by the City Engineer, prior to the issuance of a  
Certificate of Occupancy.
63. The applicant shall provide construction signage, lighting and barricading during all  
phases of construction as required by City Standards or as directed by the City Engineer.  
As a minimum, all construction signing, lighting and barricading shall be in accordance  
with Part 6 "Temporary Traffic Control" of the 2014 California Manual on Uniform  
Traffic Control Devices, or subsequent editions in force at the time of construction.
64. Upon approval of any improvement plan by the City Engineer, the applicant shall  
provide the improvement plan to the City in digital format, consisting of a DWG  
(AutoCAD drawing file), DXF (AutoCAD ASCII drawing exchange file), and PDF  
(Adobe Acrobat) formats. Variation of the type and format of the digital data to be  
submitted to the City may be authorized, upon prior approval by the City Engineer.

- 1
- 2 65. The applicant shall construct 4-inch conduit within the parkway area along the entire
- 3 project frontages of Valley Boulevard, and Willow Avenue for future use.
- 4 66. The applicant shall dedicate and/or vacate additional right-of-way along the entire
- 5 frontage of Valley Boulevard, as necessary, to provide the ultimate half-width of 50 feet,
- 6 in accordance with the Gateway Specific Plan.
- 7 67. The applicant shall dedicate and/or vacate additional right-of-way along the entire
- 8 frontage of Willow Avenue, as necessary, to provide the ultimate half-width of 32 feet,
- 9 in accordance with the Gateway Specific Plan.
- 10 68. The applicant shall construct an 8-inch curb and gutter along the entire frontage of
- 11 Valley Boulevard 48 feet south of centerline, in accordance with City of Rialto Standard
- 12 Drawings and the General Plan or applicable Specific Plan, prior to the issuance of a
- 13 Certificate of Occupancy.
- 14 69. The applicant shall construct an 8-inch curb and gutter along the entire frontage of
- 15 Willow Avenue 20 feet east of centerline, in accordance with City of Rialto Standard
- 16 Drawings and the General Plan or applicable Specific Plan, prior to the issuance of a
- 17 Certificate of Occupancy.
- 18 70. The applicant shall replace any existing non-compliant, damaged, or unsatisfactory
- 19 sidewalk along the project frontage to the satisfaction of the City Engineer, prior to the
- 20 issuance of a Certificate of Occupancy.
- 21 71. Prior to occupancy approval, the applicant shall replace all damaged, destroyed, or
- 22 modified pavement legends, traffic control devices, signing, striping, and streetlights,
- 23 associated with the proposed development shall be replaced as required by the City
- 24 Engineer prior to issuance of a Certificate of Occupancy.
- 25 72. The applicant shall construct three (3) new thirty-two (32) foot wide commercial
- 26 driveway approaches along the Willow Avenue frontage, in accordance with City of
- 27 Rialto Standard Drawing No. SC-214, or as otherwise approved by the City Engineer.
- 28 Nothing shall be constructed or planted in the corner cut-off area which does exceed or
- will exceed 30 inches in height in order to maintain an appropriate corner sight distance,
- as required by the City Engineer. If necessary, additional right of way shall be dedicated
- on-site to construct a path of travel meeting ADA guidelines for the public.
73. The applicant shall construct a new thirty-two (32) foot wide commercial driveway
- approaches along the Valley Boulevard frontage, in accordance with City of Rialto
- Standard Drawing No. SC-214, or as otherwise approved by the City Engineer. Nothing
- shall be constructed or planted in the corner cut-off area which does exceed or will
- exceed 30 inches in height in order to maintain an appropriate corner sight distance, as
- required by the City Engineer. If necessary, additional right of way shall be dedicated
- on-site to construct a path of travel meeting ADA guidelines for the public.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28
74. Willow Avenue is designated a Collector in the Gateway Specific Plan with a 64-foot street right of way. The applicant shall submit street improvement plans that include, but are not limited to:
    - a. Existing asphalt pavement within these limits shall be removed in order to construct half-street width plus 14 feet of new pavement with a minimum pavement section of 5 inches asphalt concrete (AC) pavement over 6 inches crushed aggregate base (CAB) and a minimum subgrade of 24 inches at 95% relative compaction, or equal, in accordance with City of Rialto Standard Drawings. The pavement section shall be determined using a Traffic Index (“TI”) of 10. The pavement section shall be designed by a California registered Geotechnical Engineer using "R" values from pavement core samples and submitted to the City Engineer for approval. Alternatively, depending on the existing street condition and geotechnical report, perform a 2” grind and overlay over the full street width using PG 64-10 ARHM CC-G.
  75. Valley Boulevard is designated a Major Highway in the Gateway Specific Plan with a 100-foot street right of way. The applicant shall submit street improvement plans that include, but are not limited to:
    - a. Existing asphalt pavement within these limits shall be removed in order to construct half-street width plus 14 feet of new pavement with a minimum pavement section of 5 inches asphalt concrete (AC) pavement over 6 inches crushed aggregate base (CAB) and a minimum subgrade of 24 inches at 95% relative compaction, or equal, in accordance with City of Rialto Standard Drawings. The pavement section shall be determined using a Traffic Index (“TI”) of 10. The pavement section shall be designed by a California registered Geotechnical Engineer using "R" values from pavement core samples and submitted to the City Engineer for approval. Alternatively, depending on the existing street condition and geotechnical report, perform a 2” grind and overlay over the full street width using PG 64-10 ARHM CC-G.
  76. The applicant shall install “No Stopping Anytime” R26A(S)(CA) signage along the entire project frontages of Valley Boulevard, and Willow Avenue, as required by the City Engineer, prior to the issuance of a Certificate of Occupancy.
  77. The applicant shall be responsible for coordinating with Omnitrans regarding the location of existing, proposed, and future bus stops along the property frontage of all public streets. The developer shall design street and sidewalk improvements in accordance with the latest Omnitrans bus stop guidelines and in compliance with current accessibility standards pursuant to the Americans with Disabilities Act (ADA) requirements. The developer shall design all bus stops to accommodate the Omnitrans Premium Shelters. Prior to Certificate of Occupancy, the developer shall submit to Engineering Services Department verification from Omnitrans acknowledging concurrence with the existing, proposed, and future bus stop improvements in conformance with the Premium Shelter design guidelines. Additionally, bus turnouts

1 are required to accommodate proposed bus stops in accordance with the City Standards  
2 and as approved by the City Engineer.

- 3 78. The minimum pavement section for all on-site pavements shall be 3 inches asphalt  
4 concrete pavement over 4 inches crushed aggregate base with a minimum subgrade of  
5 24 inches at 95% relative compaction, or equal. If an alternative pavement section is  
6 proposed, the proposed pavement section shall be designed by a California registered  
7 Geotechnical Engineer using "R" values from the project site and submitted to the City  
8 Engineer for approval.
- 9 79. The applicant shall connect the project to the City of Rialto sewer system and apply for  
10 a sewer connection account with Rialto Water Services.
- 11 80. Domestic water service to the underlying property is provided by Rialto Water Services.  
12 The applicant shall be responsible for coordinating with Rialto Water Services and  
13 complying with all requirements for establishing domestic water service to the property.
- 14 81. The applicant shall install a new domestic water line lateral connection to the main water  
15 line within either Valley Boulevard or Willow Avenue, pursuant to the Rialto Water  
16 Services requirements. A water line plan shall be approved by Rialto Water Services  
17 prior to issuance of building permits.
- 18 82. The applicant shall provide certification from Rialto Water Services that demonstrates  
19 that all water and/or wastewater service accounts for the project are documented, prior  
20 to the issuance of a Certificate of Occupancy or final inspection approval from the  
21 Engineering Services Department.
- 22 83. The development of the site is subject to the requirements of the National Pollution  
23 Discharge Elimination System (NPDES) Permit for the City of Rialto, under the Santa  
24 Ana Regional Water Quality Control Board, Board Order No. R8-2010-0036. Pursuant  
25 to the NPDES Permit, the applicant shall ensure development of the site incorporates  
26 post-construction Best Management Practices ("BMPs") in accordance with the Model  
27 Water Quality Management Plan ("WQMP") approved for use for the Santa Ana River  
28 Watershed. The applicant is advised that applicable Site Design BMPs will be required  
to be incorporated into the final site design, pursuant to a site specific WQMP submitted  
to the City Engineer for review and approval.
84. The applicant shall submit a Water Quality Management Plan identifying site-specific  
Best Management Practices ("BMPs") in accordance with the Model Water Quality  
Management Plan ("WQMP") approved for use for the Santa Ana River Watershed.  
The site specific WQMP shall be submitted to the City Engineer for review and approval  
with the Grading Plan. A WQMP Maintenance Agreement shall be required, obligating  
the property owner(s) to appropriate operation and maintenance obligations of on-site  
BMPs constructed pursuant to the approved WQMP. The WQMP and Maintenance  
Agreement shall be approved prior to the issuance of any building permit and shall be

1 recorded at the San Bernardino County Recorder's Office prior to the issuance of a  
2 Certificate of Occupancy.

- 3 85. The applicant shall prepare a Notice of Intent (NOI) to comply with the California  
4 General Construction Stormwater Permit (Water Quality Order 2009-0009-DWQ as  
5 modified September 2, 2009) is required via the California Regional Water Quality  
6 Control Board online SMARTS system. A copy of the executed letter issuing a Waste  
7 Discharge Identification (WDID) number shall be provided to the City Engineer prior  
8 to issuance of a grading or building permit. The applicant's contractor shall prepare and  
9 maintain a Storm Water Pollution Prevention Plan ("SWPPP") as required by the  
10 General Construction Permit. All appropriate measures to prevent erosion and water  
11 pollution during construction shall be implemented as required by the SWPPP.
- 12 86. Prior to issuance of grading permit or on-site construction permit, the applicant shall  
13 submit a precise grading plan prepared by a California registered civil engineer to the  
14 Engineering Division for review and approval by the City Engineer. The plan shall  
15 conform to the requirements of the California Building Code for review and approval.
- 16 87. Prior to grading plan approval, the applicant shall submit a final hydrology study to  
17 determine the volume of increased stormwater runoff due to development of the site,  
18 and to determine required stormwater runoff mitigation measures for the proposed  
19 development. All stormwater runoff passing through the site shall be accepted and  
20 conveyed across the property in a manner acceptable to the City Engineer. For all  
21 stormwater runoff falling on the site, on-site retention or other facilities approved by the  
22 City Engineer shall be required to contain the increased stormwater runoff generated by  
23 the development of the property. Hydrology studies shall be prepared in accordance  
24 with the San Bernardino County Hydrology Manual and Rialto drainage criteria. Final  
25 retention basin sizing and other stormwater runoff mitigation measures shall be  
26 determined upon review and approval of the hydrology study by the City Engineer and  
27 may require redesign or changes to site configuration or layout consistent with the  
28 findings of the final hydrology study. The volume of increased stormwater runoff to  
retain on-site shall be determined by comparing the existing pre-developed condition  
and proposed developed condition, using the 100-year frequency storm.
88. Direct release of on-site nuisance water or stormwater runoff shall not be permitted to  
the adjacent public streets. Provisions for the interception of nuisance water from  
entering adjacent public streets from the project site shall be provided through the use  
of a minor storm drain system that collects and conveys nuisance water to landscape or  
parkway areas, and in only a stormwater runoff condition, pass runoff directly to the  
streets through parkway or under sidewalk drains. All on-site and off-site designs must  
comply with NPDES stormwater regulations.
89. Prior to the issuance of a certificate of occupancy or final City approvals, the applicant  
shall demonstrate that all structural BMP's have been constructed and installed in

1 conformance with approved plans and specifications, and as identified in the approved  
2 WQMP.

- 3 90. The applicant shall provide a WQMP BMP certification, prior to the issuance of a  
4 Certificate of Occupancy.
- 5 91. Any utility trenches or other excavations within existing asphalt concrete pavement of  
6 off-site streets required by the proposed development shall be backfilled and repaired in  
7 accordance with City of Rialto Standard Drawings. The Applicant shall be responsible  
8 for removing, grinding, paving and/or overlaying existing asphalt concrete pavement of  
9 off-site streets as required by and at the discretion of the City Engineer, including  
10 additional pavement repairs to pavement repairs made by utility companies for utilities  
11 installed for the benefit of the proposed development (i.e. Rialto Water Services,  
12 Southern California Edison, Southern California Gas Company, Time Warner, Verizon,  
13 etc.). Multiple excavations, trenches, and other street cuts within existing asphalt  
14 concrete pavement of off-site streets required by the proposed development may require  
15 complete grinding and asphalt concrete overlay of the affected off-site streets, at the  
16 discretion of the City Engineer. The pavement condition of the existing off-site streets  
17 shall be returned to a condition equal to or better than existed prior to construction of  
18 the proposed development.
- 19 92. The applicant shall adhere to the City Council approved franchise agreements and  
20 disposal requirements during all construction activities, in accordance with Section 8.08  
21 (Refuse Collection of the City of Rialto Municipal Code).
- 22 93. Prior to commencing with any grading, the applicant shall implement the required  
23 erosion and dust control measures shall be in place. In addition, the following shall be  
24 included if not already identified:
- 25 a. 6 foot high tan colored perimeter screened fencing
  - 26 b. Contractor information signage including contact information along the street  
27 frontage of Valley Boulevard.
  - 28 c. Post dust control signage with the following verbiage: "Project Name, WDID No.,  
IF YOU SEE DUST COMING FROM THIS PROJECT CALL: NAME (XXX)  
XXX-XXX, If you do not receive a response, please call the AQMD at 1-800-  
CUT-SMOG/1-800-228-7664"
94. The applicant shall remove any graffiti within 24 hours, before, during, and post  
construction.
95. The original improvement plans prepared for the proposed development and approved  
by the City Engineer (if required) shall be documented with record drawing "as-built"  
information and returned to the Engineering Division prior to issuance of a final  
certificate of occupancy. Any modifications or changes to approved improvement plans  
shall be submitted to the City Engineer for approval prior to construction.

- 1 96. Prior to occupancy approval, all abandoned utilities shall be completely removed.  
2 Utilities may not be abandoned in place.
- 3 97. The applicant shall submit full architectural and structural plans with all mechanical,  
4 electrical, and plumbing plans, structural calculations, truss calculations and layout,  
5 rough grading plans approved by Public Works Engineering, Water Quality  
6 Management Plan, Erosion Control Plan, Stormwater Pollution Prevention Plan, and  
7 Title 24 Energy Calculations to the Building Division for plan check and review, prior  
8 to the issuance of building permits.
- 9 98. The applicant shall provide a Scope of Work on the title page of the architectural plan  
10 set. The Scope of Work shall call out all work to be permitted (ex. Main structure,  
11 perimeter walls, trash enclosure, etc.).
- 12 99. The applicant shall design the structures in accordance with the 2022 California  
13 Building Code, 2022 California Mechanical Code, 2022 California Plumbing Code, and  
14 the 2022 California Electrical Code, 2022 Residential Code and the 2022 California  
15 Green Buildings Standards adopted by the State of California.
- 16 100. The applicant shall design the structures to withstand ultimate wind speed of 130 miles  
17 per hour, exposure C and seismic zone D.
- 18 101. The applicant shall submit fire sprinkler, fire alarm systems, and fire hydrant plans to  
19 the Building Division for plan review concurrently with building plans and shall be  
20 approved prior to the issuance of a building permit.
- 21 102. The applicant shall obtain an Electrical Permit from the Building Division for any  
22 temporary electrical power required during construction. No temporary electrical power  
23 will be granted to a project unless one of the following items is in place and approved  
24 by the Building Division: (A) Installation of a construction trailer, or, (B) Security  
25 fencing around the area where the electrical power will be located.
- 26 103. The applicant shall install temporary construction fencing and screening around the  
27 perimeter of the project site. The fencing and screening shall be maintained at all times  
28 during construction to protect pedestrians.
104. The applicant shall install any required temporary construction trailer on private  
property. No trailers are allowed to be located within the public right-of-way. The  
trailer shall be removed prior to the issuance of a Certificate of Occupancy.
105. The applicant shall design and construct accessible paths of travel from the building's  
accessible entrances to the public right-of-way, accessible parking, and the trash  
enclosure. Paths of travel shall incorporate (but not limited to) exterior stairs, landings,  
walks and sidewalks, pedestrian ramps, curb ramps, warning curbs, detectable warning,  
signage, gates, lifts and walking surface materials, as necessary. The accessible route(s)  
of travel shall be the most practical direct route between accessible building entrances,

1 site facilities, accessible parking, public sidewalks, and the accessible entrance(s) to the  
2 site, California Building Code, (CBC) Chapter 11, Sec. 11A and 11B.

- 3 106. Prior to issuance of a Building Permit all of the following must be in place on the Site:  
4 a portable toilet with hand wash station, all BMP's, fencing and signage on each adjacent  
5 street saying "If there is any dust or debris coming from this site please contact  
6 (superintendent number here) or the AQMD if the problem is not being resolved" or  
7 something similar to this.
- 8 107. The applicant shall provide temporary toilet facilities for the construction workers. The  
9 toilet facilities shall always be maintained in a sanitary condition. The construction  
10 toilet facilities of the non-sewer type shall conform to ANSI ZA.3.
- 11 108. The applicant shall underground all on site utilities to the new proposed structures, prior  
12 to the issuance of a Certificate of Occupancy, unless prior approval has been obtained  
13 by the utility company or the City.
- 14 109. Prior to issuance of Building Permits, site grading final and pad certifications shall be  
15 submitted to the Building Division, which include elevation, orientation, and  
16 compaction. The certifications are required to be signed by the engineer of record.
- 17 110. The applicant shall provide proof of payment to the Colton Joint Unified School District  
18 for all required school fees, prior to the issuance of a building permit.
- 19 111. Site facilities such as parking open or covered, recreation facilities, and trash dumpster  
20 areas, and common use areas shall be accessible per the California Building Code,  
21 Chapter 11.
- 22 112. The applicant shall place a copy of the Conditions of Approval herein on within the  
23 building plan check submittal set and include the PPD number on the right bottom  
24 corner cover page in 20 point bold, prior to the issuance of a building permit.
- 25 113. The applicant shall ensure that a minimum of 65% of all construction and demo debris  
26 shall be recycled using an approved City of Rialto recycling facility during construction.  
27 Copies of receipts for recycling shall be provided to the City Inspector and a copy shall  
28 be placed in the office of the construction site.
114. Prior to allowing flammable materials on the site, on site water service and fire hydrants  
shall be installed and approved by the Fire Department.
115. The applicant shall comply with all applicable requirements of the California Fire Code  
and Chapter 15.28 (Fire Code) of the Rialto Municipal Code.
116. The applicant shall illuminate all walkways, passageways, and locations where  
pedestrians are likely to travel with a minimum of 1.5-foot candles (at surface level) of

1 light during the hours of darkness. Lighting shall be designed/constructed in such a  
2 manner as to automatically turn on at dusk and turn off at dawn.

3 117. The applicant shall illuminate all alleyways, driveways, and uncovered parking areas  
4 with a minimum of 1.5-foot candles (at surface level) of light during the hours of  
5 darkness. Lighting shall be designed/constructed in such a manner as to automatically  
6 turn on at dusk and turn off at dawn.

7 118. The applicant shall illuminate all loading dock areas, truck well areas, and delivery areas  
8 with a minimum of 2.0 foot-candles (at surface level) of light during the hours of  
9 darkness. Lighting shall be designed/constructed in such a manner as to automatically  
10 turn on at dusk and turn off at dawn.

11 119. The applicant shall design/construct all lighting fixtures and luminaries, including  
12 supports, poles and brackets, in such a manner as to resist vandalism and/or destruction  
13 by hand.

14 120. The applicant shall provide an illuminated channel letter address prominently placed on  
15 the building to be visible to the front of the location and if applicable, visible from the  
16 main street to which they are located (e.g. commercial building facing the interior of the  
17 property would require two address signs if located adjacent to a roadway), prior to the  
18 issuance of a Certificate of Occupancy.

19 121. At the discretion of the Rialto Police Department, the applicant shall install exterior  
20 security cameras at the location that cover the entire Site, prior to the issuance of a  
21 Certificate of Occupancy. The security cameras shall be accessible to the Rialto Police  
22 Department via FusionONE web application.

23 122. The applicant shall install Knox boxes immediately adjacent to the main entrance of the  
24 building and at least one (1) rear entrance on the building to facilitate the entry of safety  
25 personnel. The Knox boxes shall be installed in such a manner as to be alarmed, resist  
26 vandalism, removal, or destruction by hand, and be fully recessed into the building. The  
27 Knox boxes shall be equipped with the appropriate keys, for each required location,  
28 prior to the first day of business. The Knox-Box placement shall be shown on the formal  
building plan review submittal prior to the issuance of a building permit.

123. The applicant shall prominently display the address on the building rooftop to be visible  
to aerial law enforcement or fire aircraft. Specifications to be followed for alphanumeric  
characters are as follows: Three (3) foot tall and six (6) inches thick alphanumeric  
characters. The alphanumeric characters shall be constructed in such a way that they are  
in stark contrast to the background to which they are attached (e.g. white numbers and  
letters on a black background), and resistant weathering that would cause a degradation  
of the contrast.

124. The applicant shall provide an audible alarm within the building, prior to the issuance  
of a Certificate of Occupancy. The building shall be alarmed in such a way as to emit a

1 continuous audible notification until reset by responsible personnel (e.g. alarmed exit  
2 device / crash bar).

3 125. The applicant or General Contractor shall identify each contractor and subcontractor  
4 hired to work at the job site on a Contractor Sublist form and return it to the Business  
5 License Division with a Business License application and the Business License tax fee  
6 based on the Contractors tax rate for each contractor.

7 126. Prior to issuance of a Certificate of Occupancy, the Lessor of the property shall pay a  
8 business license tax based on the Rental Income Property tax rate.

9 SECTION 5. The Chairman of the Planning Commission shall sign as to the passage and  
10 adoption of this resolution and thereupon the same shall take effect and be in force.

11 PASSED, APPROVED AND ADOPTED this 15th day of April, 2026.

12  
13 \_\_\_\_\_  
14 MICHAEL E. STORY, CHAIR  
15 CITY OF RIALTO PLANNING COMMISSION  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

1 STATE OF CALIFORNIA )  
2 COUNTY OF SAN BERNARDINO ) ss  
3 CITY OF RIALTO )  
4

5 I, Kimberly Dame, Administrative Analyst of the City of Rialto, do hereby certify that the  
6 foregoing Resolution No. \_\_\_\_ was duly passed and adopted at a regular meeting of the Planning  
7 Commission of the City of Rialto held on the \_\_\_\_th day of \_\_\_\_, 2026.

8 Upon motion of Planning Commissioner\_\_\_\_\_, seconded by Planning Commissioner  
9 \_\_\_\_\_, the foregoing Resolution No. \_\_\_\_ was duly passed and adopted.

10 Vote on the motion:

11 AYES:

12 NOES:

13 ABSENT:

14 IN WITNESS WHEREOF, I have hereunto set my hand and the Official Seal of the City of  
15 Rialto this \_\_\_\_th day of \_\_\_\_, 2026.

16

17

18

19

20

\_\_\_\_\_  
KIMBERLY DAME, ADMINISTRATIVE ANALYST

21

22

23

24

25

26

27

28

Exhibit "A"

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28