



1 referred to as Tentative Tract Map No. 20237, (“TTM No. 20237”), in accordance with the  
2 Subdivision Map Act (Government Code §§ 66410 et seq.); and

3 **WHEREAS**, on July 31, 2019, the Planning Commission of the City of Rialto conducted  
4 a duly noticed public hearing, as required by law, on TTM No. 20237, GPA No. 2019-0001, and  
5 ZC No. 2019-0001, took testimony, at which time it received input from staff, the city attorney,  
6 and the applicant; heard public testimony; discussed the proposed TTM No. 20237, GPA No.  
7 2019-0001, and ZC No. 2019-0001; and closed the public hearing; and

8 **WHEREAS**, on July 31, 2019, the Planning Commission voted 6-0 (1 absence) to  
9 recommend approval of TTM No. 20237, GPA No. 2019-0001, and ZC No. 2019-0001 to the  
10 City Council; and

11 **WHEREAS**, on September 24, 2019, the City Council conducted a public hearing, as  
12 required by law, on TTM No. 20237, GPA No. 2019-0001, and ZC No. 2019-0001, took  
13 testimony, at which time it received input from staff, the city attorney, and the applicant; heard  
14 public testimony, discussed TTM No. 20237, GPA No. 2019-0001, and ZC No. 2019-0001; and  
15 closed the public hearing; and

16 **WHEREAS**, all legal prerequisites to the adoption of this Resolution have occurred.

17 **NOW, THEREFORE**, the City Council hereby finds, determines, and resolves as follows:

18 **SECTION 1.** The City Council hereby specifically finds that all of the facts set forth in the  
19 recitals above of this Resolution are true and correct and incorporated herein.

20 **SECTION 2.** Based on substantial evidence presented to the City Council during the  
21 public hearing conducted with regard to TTM No. 20237, including written staff reports, verbal  
22 testimony, project plans, other documents, and the conditions of approval stated herein, the City  
23 Council hereby determines that TTM No. 20237 satisfies the requirements of Government Code  
24 Sections 66473.5 and 66474 and Section 17.16.070 of the Rialto Municipal Code pertaining to the  
25 findings which must be made precedent to amending a General Plan. The findings are as follows:

- 26 1. That the proposed tentative tract map is consistent with the General Plan of the City  
27 of Rialto and the Multi-Family Residential (R-3) zone, as applicable; and

28 *This finding is supported by the following facts:*

1 GPA No. 2019-0001, prepared in conjunction with the Project, will change the land use  
2 designation of the Site to Residential 12. ZC No. 2019-0001, prepared in conjunction with  
3 the Project, will change the zoning designation of the Site to R-3. The allowable density  
4 range within the Residential 12 designation and the R-3 zone is between 6.1 to 12.0  
5 dwelling units per acre. The proposed density of the Site, as a result of the Project, is 6.86  
6 dwelling units per acre, which is consistent with the Residential 12 land use designation and  
7 the R-3 zoning designation.

8 Furthermore, the R-3 zone requires a minimum gross site area of 1.0 acres. The area of the  
9 Site is 9.10 gross acres (8.74 net acres), which exceeds the minimum required. No  
10 minimum individual lot sizes are specified within the development standards of the R-3  
11 zone. As it pertains to the tentative tract map, the proposed subdivision of the Site is  
12 consistent with the R-3 zone and the Residential 12 land use designation.

- 13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28
2. That the design and improvements of the proposed tentative tract map are consistent with the Subdivision Ordinance, the General Plan of the City of Rialto, and the Multi-Family Residential (R-3) zone; and

*This finding is supported by the following facts:*

The Project will comply with all of the technical standards required by Subdivision Map Act. Additionally, the Project is consistent with the proposed R-3 zone and the proposed Residential 12 land use designation, as all of the development standards for the R-3 zone and the density requirements of the Residential 12 land use designation are satisfied within the Project.

An existing portion of Acacia Avenue will provide the primary access to the Project. A new distinctive entryway, featuring a landscaped median, decorative paving, and signage, will be located near the center of the Acacia Avenue street frontage. The applicant will also install a secondary emergency-exit only driveway at the south end of the Acacia Avenue street frontage. Access within the Project will be provided by a new private street system throughout the inside of the project site.

3. That the site is physically suitable for the type of proposed development; and

*This finding is supported by the following facts:*

The Site is a relatively flat, rectangular, expansive in size, and development of the land should be easily accommodated. The applicant will be required to submit a geotechnical/soils report to the Public Works Department for review and approval prior to issuance of any building permits.

4. That the site is physically suitable for the proposed density of the development; and

*This finding is supported by the following facts:*

1 The Site is 8.74 net acres in size. Upon the completion of GPA No. 2019-0001 and ZC No.  
2 2019-0001 the maximum density allowed on the Site will be 12.0 dwelling units per acre.  
3 The acreage of the Site is suitable to accommodate the proposed density of 6.86 dwelling  
4 units per acre.

- 5 5. That the design of the land division is not likely to cause substantial environmental  
6 damage or substantially injure fish, wildlife, or their habitat; and

7 *This finding is supported by the following facts:*

8 According to Section 4.4.2 of the General Plan Environmental Impact Report, the Site is  
9 designated as a habitat for the endangered Delhi Sands Flower-Loving Fly (DSF).  
10 However, the applicant hired Powell Environmental Consultants to conduct survey of the  
11 Site in 2017 and 2018 to determine if the DSF was present on the Site. Each survey  
12 determined that the DSF was not present on the Site. A condition of approval contained  
13 herein requires the applicant to provide the Planning Division with documentation of  
14 clearance from the United States Fish & Wildlife Services prior to the commencement of  
15 any ground disturbance activities on the Site. Additionally, the initial study prepared for the  
16 Project determined that the Site did not contain suitable habitat for any other known  
17 threatened or endangered species, including the Burrowing Owl and the San Bernardino  
18 Kangaroo Rat.

- 19 6. That the design of the land division is not likely to cause serious public health  
20 problems; and

21 *This finding is supported by the following facts:*

22 The Site is bound on the west by Acacia Avenue. To the north of the project site is an  
23 existing single-family residential neighborhood built in 1970. To the east of the project  
24 site is a single-family residential neighborhood built from 1990 to 1992 and located  
25 within the City of San Bernardino. To the south is approximately 6.80 acres of vacant  
26 land recently approved for the development of fifty (50) single-family residences as a  
27 part of the Wagon Wheel residential project by R.C. Hobbs Company, Inc., and to the  
28 west, both adjacent to the project site and across Acacia Avenue, are several rural single-  
family residences. The current zoning of the project site is a mix of Agricultural (A-1)  
and Single-Family Residential (R-1C). The zoning of the properties to the north is  
Single-Family Residential (R-1C), the zoning of the property to the south is Multi-Family  
Residential (R-3), and the zoning of the properties to the west is Agricultural (A-1). The  
proposed detached single-family development pertaining to the land division is consistent  
with all nearby land uses. Construction impacts will be limited through the strict  
enforcement of the allowable construction hours listed in Section 9.50.070 of the Rialto  
Municipal Code, as well as enforcement of regular watering of the Site to limit airborne  
dust and other particulate matter. Operationally, generally speaking, detached single-  
family dwellings have little to no impact on the environment and on surrounding

1 properties, specifically with respect to air quality, noise, and traffic. The Project is not  
2 likely to cause any public health problems.

3 7. That the design of the land division or proposed improvements will not conflict with  
4 easements, acquired by the public at large, for access through or use of, property  
5 within the proposed land division.

6 *This finding is supported by the following facts:*

7 Four (4) easements exist on or in relation to the Site. The first two (2) easements are in  
8 relation to land dedicated to the City of Rialto for road, street, highway, and other incidental  
9 purposes. Both of these easements will remain unaffected by the Project. The third  
10 easement is in favor of the Semi-Tropic Land and Water Company and dates back to  
11 December 24, 1890. The fourth involves various agreements, conditions, and reservations  
12 as to water and rights-of-way and easements of undisclosed route and width, as set forth in a  
13 deed from John H. Carruthers to the Fontana Development Company recorded on March 30,  
14 1901. The locations of the third and fourth easements cannot be determined from the record  
15 information.

16 **SECTION 3.** An Initial Study (Environmental Assessment Review No. 2019-0002) has  
17 been prepared for GPA No. 2019-0001 in accordance with the California Environmental Quality  
18 Act (CEQA). Based on the findings and recommended mitigation with the Initial Study, staff  
19 determined that the project will not have an adverse impact on the environment, provided that  
20 mitigation measures are implemented, and a Mitigated Negative Declaration was prepared. The  
21 local newspaper published a copy of the Notice of Intent to adopt the Mitigated Negative  
22 Declaration for the project, and the City mailed the notice to all property owners within 300 feet of  
23 the project site for a public comment period held from June 20, 2019 to July 9, 2019. The Mitigated  
24 Negative Declaration was prepared in accordance with CEQA. The City Council hereby adopts the  
25 Mitigated Negative Declaration and direct the Planning Division to file the necessary  
26 documentation with the Clerk of the Board of Supervisors for San Bernardino County.

27 **SECTION 4.** The City Council hereby approves TTM No. 20237, in conjunction with  
28 GPA No. 2019-0001 and ZC No. 2019-0001, to allow the subdivision of 8.74 net acres of land  
(APNs: 0131-131-13, -14, & -23) located on the east side of Acacia Avenue approximately 775 feet  
north of Randall Avenue, described in the legal description attached as Exhibit A, into sixty (60)

1 detached single-family lots and twelve (12) common lots for private streets, common open space,  
2 landscaping, and stormwater detention, in accordance with the application on file with the Planning  
3 Division, subject to the following conditions:

- 4 1. TTM No. 20237 is approved allowing the subdivision of 8.74 net acres of land (APNs:  
5 0131-131-13, -14, & -23) located on the east side of Acacia Avenue approximately 775  
6 feet north of Randall Avenue, described in the legal description attached as Exhibit A,  
7 into sixty (60) single-family residential lots and twelve (12) common lots for private  
8 streets, common open space, landscaping, and stormwater detention, as shown on the  
9 tentative map submitted to the Planning Division on July 16, 2019, and as approved by  
10 the Planning Commission and City Council. If the Conditions of Approval specified  
11 herein are not satisfied or otherwise completed, the Project shall be subject to  
12 revocation.
- 13 2. Prior to the issuance of building or grading permits for the proposed development, a  
14 Precise Plan of Design shall be approved by the City's Development Review Committee  
15 (DRC).
- 16 3. City inspectors shall have access to the Site to reasonably inspect the Site during  
17 normal working hours to assure compliance with these conditions and other codes.
- 18 4. The applicant shall defend, indemnify and hold harmless the City of Rialto, its agents,  
19 officers, or employees from any claims, damages, action, or proceeding against the  
20 City or its agents, officers, or employees to attack, set aside, void, or annul any  
21 approval of the City, its advisory agencies, appeal boards, or legislative body  
22 concerning TTM No. 20237. The City will promptly notify the applicant of any such  
23 claim, action, or proceeding against the City, and applicant will cooperate fully in the  
24 defense.
- 25 5. In accordance with the provisions of Government Code Section 66020(d)(1), the  
26 imposition of fees, dedications, reservations, or exactions for this Project, if any, are  
27 subject to protest by the applicant at the time of approval or conditional approval of  
28 the Project or within 90 days after the date of the imposition of the fees, dedications,  
reservations, or exactions imposed on the Project.
6. Approval of Tentative Tract Map No. 20237 will not be valid until such time that the  
City Council of the City of Rialto has approved General Plan Amendment No. 2019-  
0001 and Zone Change No. 2019-0001, which were prepared in conjunction with the  
Project.
7. The applicant shall annex the Site within a Community Facilities District to offset  
operational costs to the City's General Fund associated with TTM No. 20237, as  
determined by the Fiscal Impact Analysis prepared by Stanley R. Hoffman Associates,  
Inc., dated May 24, 2019, prior to the issuance of any building permits.

- 1 8. The applicant shall complete and abide by all mitigation measures contained within the  
2 Mitigation Monitoring and Reporting Program associated with Environmental  
3 Assessment Review No. 2019-0002 prior to issuance of any Certificate of Occupancy.
- 4 9. The applicant shall secure the services of a tribal cultural monitor to be present during  
5 all ground disturbance activities associated with the construction of this project. The  
6 tribal cultural monitor shall be approved by the Gabrieleño Band of Mission Indians-  
7 Kizh Nation, and documentation of coordination between the applicant and the  
8 Gabrieleño Band of Mission Indians-Kizh Nation on this matter shall be provided to the  
9 Planning Division prior to the issuance of a grading permit.
- 10 10. The applicant shall provide documentation indicating clearance from the United States  
11 Fish & Wildlife Service in regards to the Delhi Sands Flower-Loving Fly (DSF) prior to  
12 the commencement of any ground disturbance activities and prior to the issuance of a  
13 rough or precise grading permit.
- 14 11. The applicant shall submit Covenants, Conditions and Restrictions (CC&R's) for a  
15 Home Owners Association (H.O.A.) to the Planning Division for review and approval  
16 by the City Attorney, at applicant's cost, prior to recordation of the Final Map.
- 17 12. The applicant shall include language within the CC&R's that prohibits property owners  
18 and/or residents from converting their garage or using it for any purpose other than the  
19 parking of vehicles.
- 20 13. The applicant shall construct a minimum six (6) foot high solid decorative masonry  
21 block wall around the perimeter of the project, or as approved by the Planning Division,  
22 prior to the issuance of any certificate of occupancy. Decorative masonry block means  
23 tan slumpstone block, tan split-face block, or precision block with a stucco, plaster, or  
24 cultured stone finish. All decorative masonry block walls shall include a decorative cap.  
25 Pilasters shall be incorporated within the all block walls. The pilasters shall be spaced a  
26 maximum of fifty (50) feet and shall be placed at all corners and ends of the wall. All  
27 pilasters shall protrude a minimum of six (6) inches above and at least six (6) inches to  
28 the side of the wall. All pilasters shall include a decorative cap.
14. The private streets within the development shall be named as shown on the tentative  
map, and as follows:
- a. The entryway shall be named "Stanton Way".
  - b. The westerly north-south street shall be named "Encina Avenue".
  - c. The center north-south street shall be named "Sumac Lane".
  - d. The easterly north-south street shall be named "Pine Avenue".
  - e. The northerly east-west street shall be named "Vodden Street".
  - f. The southerly east-west street shall be named "Alru Street".

- 1 15. The applicant shall pay all applicable development impact fees in accordance with the  
2 current City of Rialto fee ordinance, including any Transportation and Traffic Fair Share  
3 Contribution fees, as applicable.
- 4 16. The applicant shall apply for annexation of the underlying property into City of Rialto  
5 Landscape and Lighting Maintenance District No. 2 (“LLMD 2”). An application fee of  
6 \$5,000 shall be paid at the time of application. Annexation into LLMD 2 is a condition  
7 of acceptance of any new median, parkway, and/or easement landscaping, or any new  
8 public street lighting improvements, to be maintained by the City of Rialto.
- 9 17. The applicant shall submit off-site landscaping and irrigation system improvement plans  
10 for review and approval at the time of first (1<sup>st</sup>) public improvement plan submittal to the  
11 Public Works Department. The parkway irrigation system shall be separately metered  
12 from the on-site private irrigation to be maintained for a period of one (1) year and  
13 annexed into a Special District. The off-site landscape and irrigation plans must show  
14 separate electrical and water meters to be annexed into the Landscape and Lighting  
15 Maintenance District No. 2 via a City Council Public Hearing. The landscape and  
16 irrigation plans shall be approved concurrently with the street improvement plans,  
17 including the median portion, prior to issuance of a building permit. The landscaping  
18 architect must contact the City of Rialto Landscape Contract Specialist at (909) 772-  
19 2635 to ensure all landscape and irrigation guidelines are met prior to plan approval.  
20 Electrical and water irrigation meter pedestals must not be designed to be installed at or  
21 near street intersections or within a raised median to avoid burdensome traffic control  
22 set-up during ongoing maintenance.
- 23 18. The applicant shall guarantee all new parkway landscaping irrigation for a period of one  
24 (1) year from the date of the City Engineer acceptance. Any landscaping that fails  
25 during the one year landscape maintenance period shall be replaced with similar plant  
26 material to the satisfaction of the City Engineer, and shall be subject to a subsequent one  
27 year landscape maintenance period. The applicant must contact the City of Rialto  
28 Landscape Contract Specialist at (909) 772-2635 to confirm a full twelve (12) months’  
time of non-interrupted ongoing maintenance.
19. The applicant shall install City Engineer approved deep root barriers, in accordance with  
the Public Works Landscape and Irrigation Guidelines, for all trees installed within ten  
(10) feet of the public sidewalk and/or curb.
20. All new street lights shall be installed on an independently metered, City-owned  
underground electrical system. The developer shall be responsible for applying with  
Southern California Edison (“SCE”) for all appropriate service points and electrical  
meters. New meter pedestals shall be installed, and electrical service paid by the  
developer, until such time as the underlying property is annexed into LLMD 2.
21. The applicant shall submit street improvement plans by a registered California civil  
engineer to the Public Works Engineering Division for review. The plans shall be  
approved by the City Engineer prior to the approval of Tract Map No. 20237.

- 1 22. The applicant shall submit street light improvement plans by a registered California civil  
2 engineer to the Public Works Engineering Division for review. The plans shall be  
3 approved by the City Engineer prior to the approval of Tract Map No. 20237.
- 4 23. The applicant shall submit sewer improvement plans by a registered California civil  
5 engineer to the Public Works Engineering Division for review. The plans shall be  
6 approved by the City Engineer prior to the approval of Tract Map No. 20237.
- 7 24. The applicant shall submit traffic and signage improvement plans by a registered  
8 California civil engineer to the Public Works Engineering Division for review. The  
9 plans shall be approved by the City Engineer prior to the approval of Tract Map No.  
10 20237.
- 11 25. The applicant shall submit copies of approved water improvement plans prepared by a  
12 registered California civil engineer to the Public Works Engineering Division for record  
13 purposes. The plans shall be approved by Rialto Water Services, the City's water  
14 purveyor, prior to the approval of Tract Map No. 20237.
- 15 26. The applicant shall submit a Precise Grading/Paving Plan prepared by a California  
16 registered civil engineer to the Public Works Engineering Division for review and  
17 approval. The Grading Plan shall be approved by the City Engineer prior to approval of  
18 Tract Map No. 20237 and prior to the issuance of any building permit.
- 19 27. The applicant shall submit a Geotechnical/Soils Report, prepared by a California  
20 registered Geotechnical Engineer, for and incorporated as an integral part of the grading  
21 plan for the proposed development. A copy of the Geotechnical/Soils Report shall be  
22 submitted to the Public Works Engineering Division with the first submittal of the  
23 Precise Grading Plan.
- 24 28. The public and street improvements outlined in these conditions of approval are  
25 intended to convey to the developer an accurate scope of required improvements,  
26 however, the City Engineer reserves the right to require reasonable additional  
27 improvements as may be determined in the course of the review and approval of street  
28 improvement plans required by these conditions.
- 29 29. The applicant shall construct asphalt concrete paving for streets in two separate lifts.  
30 The final lift of asphalt concrete pavement shall be postponed until such time that on-site  
31 construction activities are complete. Unless the City Engineer provide prior  
32 authorization, paving of streets in one lift prior to completion of on-site construction is  
33 not allowed. If City Engineer authorized, completion of asphalt concrete paving for  
34 streets prior to completion of on-site construction activities, requires additional paving  
35 requirements prior to acceptance of the street improvements, including, but not limited  
36 to: removal and replacement of damaged asphalt concrete pavement, overlay, slurry  
37 seal, or other repairs.

- 1 30. The applicant shall repair all street cuts for utilities in accordance with City Standard  
2 SC-231 within 72 hours of completion of the utility work; and any interim trench repairs  
3 shall consist of compacted backfill to the bottom of the pavement structural section  
4 followed by placement of standard base course material in accordance with the Standard  
5 Specifications for Public Work Construction (“Greenbook”). The base course material  
6 shall be placed the full height of the structural section to be flush with the existing  
7 pavement surface and provide a smooth pavement surface until permanent cap paving  
8 occurs using an acceptable surface course material.
- 9 31. The applicant shall backfill and/or repair any and all utility trenches or other excavations  
10 within existing asphalt concrete pavement of off-site streets resulting from the proposed  
11 development, in accordance with City of Rialto Standard Drawings. The applicant shall  
12 be responsible for removing, grinding, paving and/or overlaying existing asphalt  
13 concrete pavement of off-site streets including pavement repairs in addition to pavement  
14 repairs made by utility companies for utilities installed for the benefit of the proposed  
15 development (i.e. Fontana Water Company, Southern California Edison, Southern  
16 California Gas Company, Time Warner, Verizon, etc.). Multiple excavations, trenches,  
17 and other street cuts within existing asphalt concrete pavement of off-site streets  
18 resulting from the proposed development may require complete grinding and asphalt  
19 concrete overlay of the affected off-site streets, at the discretion of the City Engineer.  
20 The pavement condition of the existing off-site streets shall be returned to a condition  
21 equal to or better than what existed prior to construction of the proposed development.
- 22 32. The applicant shall install underground all existing electrical distribution lines of sixteen  
23 thousand volts or less and overhead service drop conductors, and all telephone,  
24 television cable service, and similar service wires or lines, which are on-site, abutting,  
25 and/or transecting the site, in accordance with Chapter 15.32 of the Rialto Municipal  
26 Code. Utility undergrounding shall extend to the nearest off-site power pole. Unless City  
27 Engineer approved, no new power poles shall be installed. A letter from the owners of  
28 the affected utilities shall be submitted to the City Engineer prior to approval of the  
Precise Grading/Paving Plan, informing the City that they have been notified of the  
City’s utility undergrounding requirement and their intent to commence design of utility  
undergrounding plans. When available, the utility undergrounding plan shall be  
submitted to the City Engineer identifying all above ground facilities in the area of the  
project to be undergrounded.
33. The applicant shall replace all damaged, destroyed, or modified pavement legends,  
traffic control devices, signing, striping, and street lights, associated with the proposed  
development prior to the issuance of a Certificate of Occupancy.
34. The applicant shall provide construction signage, lighting and barricading during all  
phases of construction as required by City Standards or as directed by the City Engineer.  
As a minimum, all construction signing, lighting and barricading shall be in accordance  
with Part 6 “Temporary Traffic Control” of the 2014 California Manual on Uniform  
Traffic Control Devices, or subsequent editions in force at the time of construction.

- 1 35. Upon approval of any improvement plan by the City Engineer, the applicant shall  
2 provide the improvement plan to the City in digital format, consisting of a DWG  
3 (AutoCAD drawing file), DXF (AutoCAD ASCII drawing exchange file), and PDF  
4 (Adobe Acrobat) formats. Variation of the type and format of the digital data to be  
5 submitted to the City may be authorized, upon prior approval by the City Engineer.
- 6 36. The applicant shall construct and include in the project design any and all Transportation  
7 Commission recommended improvements.
- 8 37. The applicant shall construct 4-inch conduit within the parkway area along the entire  
9 project frontage of Acacia Avenue for future use.
- 10 38. The applicant shall dedicate additional right-of-way along the entire frontage of Willow  
11 Avenue, as necessary, to provide the ultimate half-width of 32 feet, as required by the  
12 City Engineer.
- 13 39. The applicant shall dedicate a property line corner cutback at the northeast and southeast  
14 corners of the intersection of Acacia Avenue and Stanton Way, in accordance with City  
15 Standard SC-235, as required by the City Engineer.
- 16 40. The applicant shall construct a curb ramp meeting current California State Accessibility  
17 standards at both the northeast and southeast corners of the intersection of Acacia  
18 Avenue and Stanton Way, in accordance with the City of Rialto Standard Drawings.
- 19 41. The applicant shall construct a new underground electrical system for public street  
20 lighting improvements along the project frontage of Acacia Avenue, as determined  
21 necessary by the City Engineer. New marbelite street light poles with LED light fixtures  
22 shall be installed in accordance with City of Rialto Standard Drawings.
- 23 42. The applicant shall remove existing pavement and construct new pavement with a  
24 minimum pavement section of 4 inches asphalt concrete pavement over 6 inches crushed  
25 aggregate base with a minimum subgrade of 24 inches at 95% relative compaction, or  
26 equal, along the entire frontage of Acacia Avenue in accordance with City of Rialto  
27 Standard Drawings. The pavement section shall be determined using a Traffic Index  
28 (“TI”) of 6. The pavement section shall be designed by a California registered  
Geotechnical Engineer using "R" values from the project site and submitted to the City  
Engineer for approval. Pavement shall extend from clean sawcut edge of pavement at  
centerline.
43. The applicant shall install “No Stopping Anytime” R26A(S)(CA) signage along the  
entire project frontage of Acacia Avenue, as required by the City Engineer.
44. All broken or off-grade street and sidewalk improvements along the project frontage of  
Acacia Avenue shall be repaired or replaced, as required by the City Engineer.

- 1 45. The applicant shall connect the project to the City of Rialto sewer system and apply for a  
2 sewer connection account with Rialto Water Services.
- 3 46. The applicant shall provide certification from Rialto Water Services that demonstrates  
4 that all water and/or wastewater service accounts for the project are documented, prior to  
5 the issuance of a Certificate of Occupancy or final inspection approval from the Public  
6 Works Engineering Division.
- 7 47. Domestic water service to the underlying property is provided by Rialto Water Services  
8 (RWS). The applicant shall be responsible for coordinating with RWS and complying  
9 with all requirements for establishing domestic water service to the property. The design  
10 must include fire hydrants along Acacia Avenue.
- 11 48. The applicant shall install a new domestic water line lateral connection to the main water  
12 line within Acacia Avenue, pursuant to the Rialto Water Services requirements. A water  
13 line plan shall be approved by Rialto Water Services prior to approval of Tract Map No.  
14 20237.
- 15 49. The development of the site is subject to the requirements of the National Pollution  
16 Discharge Elimination System (NPDES) Permit for the City of Rialto, under the Santa  
17 Ana Regional Water Quality Control Board, Board Order No. R8-2010-0036. Pursuant  
18 to the NPDES Permit, the applicant shall ensure development of the site incorporates  
19 post-construction Best Management Practices (“BMPs”) in accordance with the Model  
20 Water Quality Management Plan (“WQMP”) approved for use for the Santa Ana River  
21 Watershed. The applicant is advised that applicable Site Design BMPs will be required  
22 to be incorporated into the final site design, pursuant to a site specific WQMP submitted  
23 to the City Engineer for review and approval.
- 24 50. The applicant shall submit a Water Quality Management Plan identifying site specific  
25 Best Management Practices (“BMPs”) in accordance with the Model Water Quality  
26 Management Plan (“WQMP”) approved for use for the Santa Ana River Watershed.  
27 The site specific WQMP shall be submitted to the City Engineer for review and  
28 approval with the Grading Plan. A WQMP Maintenance Agreement shall be required,  
obligating the property owner(s) to appropriate operation and maintenance obligations  
of on-site BMPs constructed pursuant to the approved WQMP. The WQMP and  
Maintenance Agreement shall be approved prior to the issuance of any building permit  
and shall be recorded at the San Bernardino County Recorder’s Office prior to the  
issuance of a Certificate of Occupancy.
51. The applicant shall prepare a Notice of Intent (NOI) to comply with the California  
General Construction Stormwater Permit (Water Quality Order 2009-0009-DWQ as  
modified September 2, 2009) is required via the California Regional Water Quality  
Control Board online SMARTS system. A copy of the executed letter issuing a Waste  
Discharge Identification (WDID) number shall be provided to the City Engineer prior to  
issuance of a grading or building permit. The applicant’s contractor shall prepare and  
maintain a Storm Water Pollution Prevention Plan (“SWPPP”) as required by the

1 General Construction Permit. All appropriate measures to prevent erosion and water  
2 pollution during construction shall be implemented as required by the SWPPP.

- 3 52. All stormwater runoff passing through the site shall be accepted and conveyed across the  
4 property in a manner acceptable to the City Engineer. For all stormwater runoff falling  
5 on the site, on-site retention or other facilities approved by the City Engineer shall be  
6 required to contain the increased stormwater runoff generated by the development of the  
7 property. Provide a hydrology study to determine the volume of increased stormwater  
8 runoff due to development of the site, and to determine required stormwater runoff  
9 mitigation measures for the proposed development. Final retention basin sizing and  
10 other stormwater runoff mitigation measures shall be determined upon review and  
11 approval of the hydrology study by the City Engineer and may require redesign or  
12 changes to site configuration or layout consistent with the findings of the final hydrology  
13 study. The volume of increased stormwater runoff to retain on-site shall be determined  
14 by comparing the existing “pre-developed” condition and proposed “developed”  
15 condition, using the 100-year frequency storm.
- 16 53. Direct release of on-site nuisance water or stormwater runoff shall not be permitted to  
17 the adjacent public streets. Provisions for the interception of nuisance water from  
18 entering adjacent public streets from the project site shall be provided through the use of  
19 a minor storm drain system that collects and conveys nuisance water to landscape or  
20 parkway areas, and in only a stormwater runoff condition, pass runoff directly to the  
21 streets through parkway or under sidewalk drains. All on-site and off-site designs must  
22 comply with NPDES stormwater regulations.
- 23 54. The applicant shall provide pad elevation certifications for all building pads in  
24 conformance with the approved Precise Grading/Paving Plan to the Engineering  
25 Division prior to the construction of any building foundation.
- 26 55. Prior to the issuance of a certificate of occupancy or final City approvals, the applicant  
27 shall demonstrate that all structural BMP’s have been constructed and installed in  
28 conformance with approved plans and specifications, and as identified in the approved  
WQMP.
56. The applicant shall adhere to the City Council approved franchise agreements and  
disposal requirements during all construction activities, in accordance with Section 8.08  
(Refuse Collection of the City of Rialto Municipal Code).
57. Prior to commencing with any grading, the applicant shall implement the required  
erosion and dust control measures shall be in place. In addition, the following shall be  
included if not already identified:
- a. 6 foot high tan colored perimeter screened fencing
  - b. Contractor information signage including contact information along the street  
frontage of Foothill Boulevard, Spruce Avenue, Larch Avenue, and Grove  
Avenue.

1 c. Post dust control signage with the following verbiage: "Project Name, WDID  
2 No., IF YOU SEE DUST COMING FROM THIS PROJECT CALL: NAME  
3 (XXX) XXX-XXX, If you do not receive a response, please call the AQMD at  
4 1-800-CUT-SMOG/1-800-228-7664"

5 58. The applicant shall remove any graffiti within 24 hours, before, during, and post  
6 construction.

7 59. The original improvement plans prepared for the proposed development and approved  
8 by the City Engineer (if required) shall be documented with record drawing "as-built"  
9 information and returned to the Engineering Division prior to issuance of a final  
10 certificate of occupancy. Any modifications or changes to approved improvement plans  
11 shall be submitted to the City Engineer for approval prior to construction.

12 60. The applicant shall submit a final tract map (Tract Map No. 20237), prepared by a  
13 California registered Land Surveyor or qualified Civil Engineer, to the Public Works  
14 Engineering Division for review and approval. A Title Report prepared for subdivision  
15 guarantee for the subject property, the traverse closures for the existing parcel and all  
16 lots created therefrom, and copies of record documents shall be submitted with Tract  
17 Map No. 20237 to the Public Works Engineering Division as part of the review of the  
18 Map. Tract Map No. 20237 shall be approved by the City Council prior to issuance of  
19 any building permits.

20 61. In accordance with Government Code 66462, all required public improvements shall be  
21 completed prior to the approval of a final map (Tract Map No. 20237). Alternatively,  
22 the applicant may enter into a Subdivision Improvement Agreement to secure the cost of  
23 all required public improvements at the time of requesting the City Engineer's approval  
24 of Tract Map No. 20237. If a Subdivision Improvement Agreement is requested by the  
25 applicant, a fee of \$2,000 shall be paid for preparation and processing of the Subdivision  
26 Improvement Agreement. The applicant will be required to secure the Subdivision  
27 Improvement Agreement pursuant to Government Code 66499 in amounts determined  
28 by the City Engineer.

62. The applicant shall comply with all other applicable State and local ordinances.

63. The applicant shall comply with all conditions of approval contained in GPA No. 2019-  
0001 and ZC No. 2019-0001, to the extent they are not in conflict with any condition of  
approval herein.

64. Pursuant to Section 17.16.050A of the Rialto Municipal Code, approval of TTM No.  
20237 is granted for a period of twenty-four (24) months from the effective date of  
this resolution. Pursuant to Section 17.16.050C of the Rialto Municipal Code, an  
extension of time for TTM No. 20237 may be granted by the Planning Commission  
for a period or periods not to exceed a total of thirty-six (36) months. The period or  
periods of extension shall be in addition to the original twenty-four (24) months. An

1 application shall be filed with the Planning Division for each extension together with  
2 the required fee prior to the expiration date of TTM No. 20237.

3  
4 **SECTION 5.** The Mayor shall sign the passage and adoption of this resolution and  
5 thereupon the same shall take effect and be in force.

6  
7 **PASSED, APPROVED AND ADOPTED** this 24th day of September, 2019.

8  
9  
10 \_\_\_\_\_  
11 DEBORAH ROBERTSON, MAYOR  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

**ATTEST:**

---

BARBARA MCGEE, CITY CLERK

**APPROVED AS TO FORM:**

---

FRED GALANTE, CITY ATTORNEY

1 STATE OF CALIFORNIA )  
2 COUNTY OF SAN BERNARDINO ) ss  
3 CITY OF RIALTO )  
4

5 I, BARBARA MCGEE, City Clerk of the City of Rialto, do hereby certify that the  
6 foregoing Resolution No. \_\_\_\_\_ was duly passed and adopted at a regular meeting of the  
7 City Council of the City of Rialto held on the \_\_\_\_\_ day of \_\_\_\_\_, 2019.

8 Upon motion of Councilmember \_\_\_\_\_, seconded by Councilmember  
9 \_\_\_\_\_, the foregoing Resolution No. \_\_\_\_\_ was duly passed and adopted.

10 Vote on the motion:  
11 AYES:  
12 NOES:  
13 ABSENT:

14 IN WITNESS WHEREOF, I have hereunto set my hand and the Official Seal of the City  
15 of Rialto this \_\_\_\_\_ day of \_\_\_\_\_, 2019.  
16  
17  
18

19 \_\_\_\_\_  
20 BARBARA MCGEE, CITY CLERK  
21  
22  
23  
24  
25  
26  
27  
28

# LEGAL DESCRIPTION

## GENERAL PLAN AMENDMENT & ZONE CHANGE

### LEGAL DESCRIPTION

**APN 0131-131-13**

THE SOUTH 1/2 OF THE NORTH 1/2 OF THE WEST 1/2 OF LOT 137, TOWN OF RIALTO AND ADJOINING SUBDIVISIONS, IN THE CITY OF RIALTO, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AS PER PLAT RECORDED IN BOOK 4 OF MAPS, PAGE 11, RECORDS OF SAID COUNTY.

**APN 0131-131-14**

THE SOUTH 1/2 OF THE NORTH 1/2 OF THE WEST 1/2 OF LOT 137, TOWN OF RIALTO AND ADJOINING SUBDIVISIONS, IN THE CITY OF RIALTO, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AS PER PLAT RECORDED IN BOOK 4 OF MAPS, PAGE 11, RECORDS OF SAID COUNTY.

**APN 0131-131-23**

THE SOUTH 1/2 OF THE WEST 1/2 OF LOT 137, OF THE TOWN OF RIALTO AND ADJOINING SUBDIVISIONS, IN THE CITY OF RIALTO, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AS PER PLAT RECORDED IN BOOK 4 OF MAPS, PAGE 11, RECORDS OF SAID COUNTY.

EXCEPTING THEREFROM THE WEST 235 FEET OF THE SOUTH 1/2 OF THE ABOVE DESCRIBED PROPERTY.

<b>LOVE ENGINEERING</b>	
PLANNING ♦ ENGINEERING ♦ SURVEYING	
31915 RANCHO CALIFORNIA ROAD/SUITE 200-166	
TEMECULA, CA 92591	
TEL (951) 440 - 8149 / FAX (951) 303 - 6701	
PREPARED UNDER THE SUPERVISION OF:	R.C.E. NO. 50993
_____	EXP. DATE: 9-30-19
_____	DATE _____
THOMAS S. LOVE	