

Our Enclosed Tandem Axle HGL can lift and haul up to 9,000 lbs and is available in 3 different enclosure sizes. As with every Drop Deck Depot trailer, it is built with incredible strength and consistent reliability in mind.

9,000 lbs

6' x 10'

6' x 12'

6' x 14'

BUILD & PRICE

CARRY UP TO

CHOOSE FROM

COMPREHENSIVE

MADE IN THE





Exploring the Enclosed HGL

Learn more below about some of the features that make Drop Deck Depot's Single HGL trailer one of the best on the market!

INNERDE BRIDE EFFERSTORE

PATENTED SUSPENSION SYSTEM THAT ELIMINATES PREMATURE TIRE FAILURES

FULLY INTEGRATED LIGHTING THAT IS DOT APPROVED IN ALL SC STATES

HEIBRE APAZHTABLE BAUTALA

ALLOWS FOR ACHIEVING PERFECT TONGUE WEIGHT WITH ANY HITCH HEIGHT

TRWBER GOLF PIPUS

ALL TRIVILERS RECEIVE A HEAVY DUTY COMMERCIAL GRADE POWDER COAL FINISH

utdirektiri arasi etala

NO HORE CUMBERSOME DIRINGS. ANCHOR POINTS.
THAT DON'T GET IN YOUR WAY.

Hitherate Clark Francis

SELF-CONTAINED - AINTENANCS FREE HYDRAULIC SYSLEM

LED Panel Interior Light

The interior is illuminated with a bright LED panel light for increased visibility when using the trailer at night.

Galvanized Cambered Roof

The roof construction is cambered and galvanized for a weather-resistant design that doesn't allow the pooling of water.

Recessed Storage Tray

The added interior space provided by the rounded nose is finished out and utilized as a large recessed storage tray.

Low Ramp Angle

Extremely low profile ramp angle allows for even the lowest of machinery to be loaded up effortlessly.

Finger Tip Control

A simple point of control for both the up and down functionality of the trailer. Deck raises / lowers in less than 10 seconds.

Brakes on All Wheels

Each wheel is armed with heavy duty brakes capable of stopping even the heaviest of loads when you need it.

Lever Latch Coupler

A single lever latch coupler makes hitching to a Drop Deck Depot trailer as simple and easy as possible.

Curbside Un/Loading

The ability to stop the deck at any point of raising or lowering allows you to unload on any terrain.

Variety of Options

Have unique needs? We have a selection of options that allow you to build the perfect trailer to suit your needs.

ENCLOSED

HAULS UP TO 9,000 LBS



YEAR WARRANTY

Line of Reconstructions of the control of the contr



HGL Tandem Axle Series

E

Tandem Axles Models	HGL7610	HGL7612	HGL10610	HGL10612	HGL10614
Load Capacity (lb.)	7,000 LB.	7,000 LB.	10,000 LB.	10,000 LB.	10,000 LB.
Deck Width	72"	72"	72"	72"	72"
Deck Length	120"	144"	120"	144"	168"
Trailer Weight (lb.)	3400 LB.	3450 LB.	3500 LB.	3550 LB.	3650 LB.
Lift Mechanism	Hyd	Hyd	Hyd	Hyd	Hyd
Axle	Tandem	Tandem	Tandem	Tandem	Tandem
Wheel Size	225/75R/15	225/75R/15	235/80R/16	235/80R/16	235/80R/16
Brakes	Surge Brakes	Surge Brakes	Surge Brakes	Surge Brakes	Surge Brakes
Hitch (Ball Size)	2 5/16" Coupler				

Standard Features Optional Features

	A		
 Large Deck Up to 72" 	Spare Tire Mount		
 Rubber Suspension 	• Heavier 3/16 Floor		
 Low Clearance Loading 	• E-Track		
• L.E.D. Lights	Solid Sides		
Storage Compartment	• 1 Ft. Taller Rail		
 Powdercoated 	Tail Gate		

Dimensions

Length	A	В	C	D	Е
6x10' Bed	120"	60"	64"	13"	72"
6x12' Bed	132"	75"	64"	13"	72"
6x14' Bed	144"	75"	64"	13"	72"

^{*}Overall Width 100" on all Models









