

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF RIALTO, CALIFORNIA OVERTURNING THE PLANNING COMMISSION DECISION TO DENY PRECISE PLAN OF DESIGN NO. 2020-0026, THEREBY ALLOWING THE DEVELOPMENT OF A 47,609 SQUARE FOOT TRUCK TERMINAL WAREHOUSE BUILDING AND ASSOCIATED PAVING, LANDSCAPING, FENCING, LIGHTING, AND DRAINAGE IMPROVEMENTS ON 12.72 GROSS ACRES (11.80 NET ACRES) OF LAND (APNS: 0258-011-01, -09, & -10) LOCATED BETWEEN CACTUS AVENUE AND LILAC AVENUE APPROXIMATELY 625 SOUTH OF SLOVER AVENUE WITHIN THE LIGHT INDUSTRIAL (M-1) ZONE AND THE HEAVY INDUSTRIAL (H-IND) ZONE OF THE AGUA MANSA SPECIFIC PLAN.

WHEREAS, the applicant, Dedeaux Properties, LLC, proposes to develop and operate a 47,609 square foot truck terminal warehouse building (“Project”) on 12.72 gross acres (11.80 net acres) of land (APN: 0258-011-01, -09, & -10) located between Cactus Avenue and Lilac Avenue, approximately 625 feet south of Slover Avenue within the Light Industrial (M-1) zone and the Heavy Industrial (H-IND) zone of the Agua Mansa Specific Plan (“Site”); and

WHEREAS, APN: 0258-011-01 has a zoning designation of H-IND within the Agua Mansa Specific Plan, and APNs: 0258-011-09 & -10 have a zoning designation of M-1; and

WHEREAS, in accordance with Section 18.06.020 of the Rialto Municipal Code, the Project shall comply with the requirements of the M-1 and H-IND zones in the areas of the Site that are zoned M-1 and H-IND; and

WHEREAS, Pursuant to Section 18.65.010 of the Rialto Municipal Code, the Project requires a Precise Plan of Design, and the applicant has applied for Precise Plan of Design No. 2020-0026 (“PPD No. 2020-0026”); and

WHEREAS, in conjunction with the Project, the applicant submitted Conditional Development Permit No. 2020-0020 (“CDP No. 2020-0020”) to facilitate the development of Project; and

WHEREAS, on July 28, 2021, the Planning Commission of the City of Rialto conducted a duly noticed public hearing, as required by law, on PPD No. 2020-0026 and CDP No. 2020-

0020, took testimony, discussed the proposed PPD No. 2020-0026 and CDP No. 2020-0020, and closed the public hearing; and

WHEREAS, on July 28, 2021, the Planning Commission voted 4-2 (1 absence) to deny PPD No. 2020-0026 and CDP No. 2020-0020 and to direct staff to prepare a formal Resolution of Denial for consideration at the August 11, 2021 Planning Commission meeting; and

WHEREAS, on August 11, 2021, the Planning Commission voted 4-2 (1 abstention) to adopt Planning Commission Resolution No. 21-38 to formally deny PPD No. 2020-0026 and CDP No. 2020-0020; and

WHEREAS, on August 18, 2021, pursuant to Chapter 18.68 (Appeals) of the Rialto Municipal Code, the applicant filed with the office of the City Clerk an appeal to the City Council requesting the City Council to review and overturn the Planning Commission's denial of PPD No. 2020-0020 and CDP No. 2020-0020 ("Appeal"); and

WHEREAS, on October 12, 2021, in accordance with Chapter 18.68 (Appeals) of the Rialto Municipal Code, the City Council conducted a public hearing of the Appeal, took testimony, discussed the Appeal, and closed the public hearing; and

WHEREAS, all legal prerequisites to the adoption of this Resolution have occurred.

NOW, THEREFORE, the City Council hereby finds, determines, and resolves as follows:

SECTION 1. The City Council hereby specifically finds that all of the facts set forth in the recitals above of this Resolution are true and correct and incorporated herein.

SECTION 2. Based on substantial evidence presented to the City Council during the public hearing conducted with regard to PPD No. 2020-0026, including written staff reports, verbal testimony, site plans, other documents, and the conditions of approval stated herein, the City Council hereby determines that PPD No. 2020-0026 satisfies the requirements of Section 18.65.020E of the Rialto Municipal Code pertaining to the findings which must be made precedent to granting a Precise Plan of Design. The findings are as follows:

1. The proposed development is in compliance with all city ordinances and regulations, unless in accordance with an approved variance; and

This finding is supported by the following facts:

1
2 APN: 0258-011-01 has a zoning designation of Heavy Industrial (H-IND) within the Agua
3 Mansa Specific Plan and APNs: 0258-011-09 & -10 have a zoning designation of Light
4 Industrial (M-1). In accordance with Section 18.06.020 of the Rialto Municipal Code, the
5 Project, as conditioned herein, will comply with all City ordinances and regulations
6 including those of the M-1 zone and the H-IND zone in the areas of the Site containing the
7 M-1 and H-IND zoning designations. The M-1 and H-IND zones allows for the
8 development and operation of truck terminal warehouse buildings, as proposed by the
9 Project. Additionally, the Project meets all the required development standards of the M-
10 1 and H-IND zones including, but not limited to, required building setbacks, parking,
11 landscaping, building height, floor area ratio, etc.

- 12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
2. The site is physically suitable for the proposed development, and the proposed development will be arranged, designed, constructed, and maintained so that it will not be unreasonably detrimental or injurious to property, improvements, or the health, safety or general welfare of the general public in the vicinity, or otherwise be inharmonious with the city's general plan and its objectives, zoning ordinances or any applicable specific plan and its objectives; and

This finding is supported by the following facts:

The Site is relatively flat, "L"-shaped, 12.72 gross acres (11.80 net acres) in size, and bound by two (2) public streets. To the north of the project site are several industrial developments including an approximately 212,000 square foot commercial bakery facility occupied by Biscoamerica Corporation, a petroleum products facility occupied by Flyers Energy, and a truck dispatch yard occupied by SC Fuels. To the east, across Lilac Avenue, is an approximately 27,000 square foot warehouse building occupied by Tsubaki Ballantine an industrial parts distributor, and to the south are several industrial developments including a truck dispatch yard occupied by Impact Energy Transport, a construction contractor's yard occupied by Chrisp Company, a truck yard occupied by Uppal Trucking and approximately 1.32 acres of vacant land. To the west, across Cactus Avenue, are several single-family residences located within the unincorporated area of Bloomington. The Project is consistent with the M-1 and H-IND zones and the surrounding land uses. The nearby area is predominantly zoned for and developed with industrial uses except for the single-family residences to the west of the Site, across Cactus Avenue. The project is not expected to negatively impact any uses since measures, such as the installation of a solid screen wall and landscape buffering, will ensure that both noise and visual impacts remain at acceptable levels.

3. The proposed development will not unreasonably interfere with the use or enjoyment of neighboring property rights or endanger the peace, health, safety or welfare of the general public; and

This finding is supported by the following facts:

1 The Project's effects will be minimized through the implementation of the Conditions of
2 Approval contained herein, such as extensive landscaping, concrete screen walls, decorative
3 paving, and enhanced architectural features. To the north of the project site are several
4 industrial developments including an approximately 212,000 square foot
5 commercial bakery facility occupied by Biscoamerica Corporation, a petroleum products
6 facility occupied by Flyers Energy, and a truck dispatch yard occupied by SC Fuels. To the
7 east, across Lilac Avenue, is an approximately 27,000 square foot warehouse building
8 occupied by Tsubaki Ballantine an industrial parts distributor, and to the south are several
9 industrial developments including a truck dispatch yard occupied by Impact Energy
10 Transport, a construction contractor's yard occupied by Chrisp Company, a truck yard
11 occupied by Uppal Trucking and approximately 1.32 acres of vacant land. To the west, across
12 Cactus Avenue, are several single-family residences located within the unincorporated area
13 of Bloomington. The Project is consistent with the M-1 and H-IND zones and the surrounding
14 land uses. The nearby area is predominantly zoned for and developed with industrial uses
15 except for the single-family residences to the west of the Site, across Cactus Avenue. The
16 project is not expected to negatively impact any uses since measures, such as the installation
17 of a solid screen wall and landscape buffering, will ensure that both noise and visual impacts
18 remain at acceptable levels.

- 19
20
21
22
23
24
25
26
27
28
4. The proposed development will not substantially interfere with the orderly or planned
development of the City of Rialto.

This finding is supported by the following facts:

The Project is consistent with the M-1 and H-IND zones and is a logical addition to the
existing industrial developments immediately to the north, east, and south of the Site and
throughout most of the Agua Mansa Specific Plan area. The design of the Project will ensure
a continuation of the public improvements and aesthetics present in the surrounding area. The
City staff have reviewed the design of the Project to ensure compliance with all health, safety,
and design requirements to ensure the Project will enhance the infrastructure and aesthetics
of the local community.

SECTION 3. Based on the findings and recommended mitigation within the Initial Study,
staff determined that the project will not have an adverse impact on the environment, provided that
mitigation measures are implemented, and a Mitigated Negative Declaration was prepared. The local
newspaper published a copy of the Notice of Intent to adopt the Mitigated Negative Declaration for
the project, and the City mailed the notice to all property owners within 1,000 feet of the project site
for a public comment period held from June 19, 2021 to July 8, 2021. The Mitigated Negative
Declaration was prepared in accordance with the California Environmental Quality Act (CEQA). The

1 City Council directs the Planning Division to file the necessary documentation with the Clerk of the
2 Board of Supervisors for San Bernardino County.

3 **SECTION 4.** In accordance with the authority conveyed by Section 18.68.060 of the Rialto
4 Municipal Code, the City Council hereby overturns the Planning Commission decision to deny PPD
5 No. 2020-0026.

6 **SECTION 5.** The City Council hereby approves PPD No. 2020-0026, in conjunction with
7 CDP No. 2020-0020, to allow the development of a 47,609 square foot truck terminal warehouse
8 building and associated paving, landscaping, fencing, lighting, and drainage improvements on 12.72
9 gross acres (11.80 net acres) of land located between Cactus Avenue and Lilac Avenue approximately
10 625 feet south of Slover Avenue within the Light Industrial (M-1) zone and the Heavy Industrial (H-
11 IND) zone of the Agua Mansa Specific Plan, in accordance with the plans and application on file with
12 the Planning Division, subject to the following Conditions of Approval:

- 14 1. PPD No. 2020-0026 is approved allowing the development of a 47,609 square foot truck
15 terminal warehouse building and associated paving, landscaping, fencing, lighting, and
16 drainage improvements on 12.72 gross acres (11.80 net acres) of land (APNs: 0258-
17 011-01, -09, & -10) located between Cactus Avenue and Lilac Avenue approximately
625 feet south of Slover Avenue, subject to the Conditions of Approval contained
herein.
- 18 2. The approval of PPD No. 2020-0026 is granted for a one (1) year period from the date
19 of approval. Approval of PPD No. 2020-0026 will not become effective until the
20 applicant has signed a Statement of Acceptance acknowledging awareness and
21 acceptance of the required Conditions of Approval contained herein. Any request for
an extension shall be reviewed by the Community Development Director and shall be
based on the progress that has taken place toward the development of the project.
- 22 3. The development associated with PPD No. 2020-0026 shall conform to the site plan,
23 floor plans, exterior elevations, conceptual grading plan, and conceptual landscape plan
24 attached hereto as Exhibit A, except as may be required to be modified based on the
Conditions of Approval contained herein.
- 25 4. The development associated with PPD No. 2020-0026 shall comply with all Conditions
26 of Approval contained within CDP No. 2020-0020.
- 27 5. The development associated with PPD No. 2020-0026 shall comply with all applicable
28 sections of the Agua Mansa Specific Plan, the Rialto Municipal Code, and all other
applicable State and local laws and ordinances.

6. City inspectors shall have access to the site to reasonably inspect the site during normal working hours to assure compliance with these conditions and other codes.
7. The applicant shall indemnify, protect, defend, and hold harmless, the City of Rialto, and/or any of its officials, officers, employees, agents, departments, agencies, and instrumentalities thereof (collectively, the "City Parties"), from any and all claims, demands, law suits, writs of mandamus, and other actions and proceedings (whether legal, equitable, declaratory, administrative or adjudicatory in nature), and alternative dispute resolutions procedures (including, but not limited to arbitrations, mediations, and other such procedures), (collectively "Actions"), brought against the City, and/or any of its officials, officers, employees, agents, departments, agencies, and instrumentalities thereof, that challenge, attack, or seek to modify, set aside, void, or annul, the any action of, or any permit or approval issued by, the City and/or any of its officials, officers, employees, agents, departments, agencies, and instrumentalities thereof (including actions approved by the voters of the City), for or concerning the Project (collectively, the "Entitlements"), whether such Actions are brought under the California Environmental Quality Act, the Planning and Zoning Law, the Subdivision Map Act, Code of Civil Procedure Chapter 1085 or 1094.5, the California Public Records Act, or any other state, federal, or local statute, law, ordinance, rule, regulation, or any decision of a court of competent jurisdiction. This condition to indemnify, protect, defend, and hold the City harmless shall include, but not limited to (i) damages, fees and/or costs awarded against the City, if any, and (ii) cost of suit, attorneys' fees and other costs, liabilities and expenses incurred in connection with such proceeding whether incurred by applicant, Property owner, or the City and/or other parties initiating or bringing such proceeding (collectively, subparts (i) and (ii) are the "Damages"). Notwithstanding anything to the contrary contained herein, the Applicant shall not be liable to the City Parties under this indemnity to the extent the Damages incurred by any of the City Parties in such Action(s) are a result of the City Parties' fraud, intentional misconduct or gross negligence in connection with issuing the Entitlements. The applicant shall execute an agreement to indemnify, protect, defend, and hold the City harmless as stated herein within five (5) days of approval of PPD No. 2020-0026.
8. In accordance with the provisions of Government Code Section 66020(d)(1), the imposition of fees, dedications, reservations, or exactions for this Project, if any, are subject to protest by the applicant at the time of approval or conditional approval of the Project or within 90 days after the date of the imposition of the fees, dedications, reservations, or exactions imposed on the Project.
9. Approval of PPD No. 2020-0026 will not be valid until such time that the City Council has approved CDP No. 2020-0020, which was prepared in conjunction with the Project.
10. The applicant shall complete and abide by all pre-construction mitigation measures contained within the Mitigation Monitoring and Reporting Program associated with

Environmental Assessment Review No. 2020-0024, prior to the issuance of a grading permit.

11. The applicant shall complete and abide by all during-construction mitigation measures contained within the Mitigation Monitoring and Reporting Program associated with Environmental Assessment Review No. 2020-0024, prior to the conducting of a final inspection by the Building Division.
12. The operator(s) and/or tenant(s) on the Site and within the building shall always conduct operations consistent with the environmental analysis contained within Environmental Assessment Review No. 2020-0024.
13. The applicant, property owner, operator(s), and tenant(s) shall always abide by all operational mitigation measures contained within the Mitigation Monitoring and Reporting Program associated with Environmental Assessment Review No. 2020-0024.
14. The applicant shall secure the services of a tribal cultural monitor to be present during all ground disturbance activities associated with the construction of this project. The tribal cultural monitor shall be approved by the Gabrieleño Band of Mission Indians-Kizh Nation, and documentation of coordination between the applicant and the Gabrieleño Band of Mission Indians-Kizh Nation on this matter shall be provided to the Planning Division prior to the issuance of a grading permit.
15. The applicant shall install decorative pavement within each driveway connected to Lilac Avenue, in accordance with the conceptual landscape plan included within Exhibit A attached hereto. The location of the decorative pavement shall be identified on the Precise Grading Plan prior to the issuance of a grading permit. Additionally, the location and type of decorative pavement shall be identified on the formal Landscape Plan submittal, and other on-site improvement plans, prior to the issuance of building permits.
16. In order to provide enhanced building design in accordance with Chapter 18.61 (Design Guidelines) of the Rialto Municipal Code, the applicant shall route all drainage downspouts through the interior of the building. The internal downspouts shall be identified within the formal building plan check submittal prior to the issuance of building permits.
17. In order to provide enhanced building design in accordance with Chapter 18.61 (Design Guidelines) of the Rialto Municipal Code, the applicant shall construct parapet returns, at least three (3) feet in depth from the main wall plane, at all height variations on all four (4) sides of the building. The parapet returns shall be demonstrated on the roof plans within the formal building plan check submittal prior to the issuance of building permits.

- 1 18. In order to provide enhanced building design in accordance with Chapter 18.61 (Design
2 Guidelines) of the Rialto Municipal Code, the applicant shall provide internal roof
3 access only for the building. The internal roof access shall be identified within the
4 formal building plan check submittal prior to the issuance of building permits.
- 5 19. The applicant shall construct one (1) ADA accessible trash enclosure on the project site.
6 The trash enclosure shall provide room for one (1) commercial waste container and one
7 (1) commercial recycling container. The exterior of each trash enclosure shall match the
8 material and base color of the building. Additionally, the trash enclosure shall contain
9 solid steel doors and a flat solid cover. Corrugated metal and chain-link are not
10 acceptable materials to use as a part of the trash enclosure. The location of the trash
11 enclosure shall be identified on the site plan within the formal building plan check prior
12 to the issuance of building permits. An elevation detail for the trash enclosure shall be
13 provided within formal building plan check submittal prior to the issuance of building
14 permits.
- 15 20. All light standards installed on site, shall have a maximum height of twenty-five (25)
16 feet, as measured from the finished surface, including the base. Lighting shall be
17 shielded and/or directed toward the site so as not to produce direct glare or "stray light"
18 onto adjacent properties. All light standards shall be identified on the site plan and a
19 note indicating the height restriction shall be included within the formal building plan
20 check submittal prior to the issuance of building permits.
- 21 21. The applicant shall submit a formal Landscape Plan to the Planning Division prior to
22 the issuance of building permits. The submittal shall include three (3) sets of planting
23 and irrigation plans, a completed Landscape Plan Review application, and the applicable
24 review fee.
- 25 22. The applicant shall plant one (1) tree every thirty (30) feet on-center within the on-site
26 landscape setbacks along Cactus Avenue and Lilac Avenue. All trees within the
27 landscape setback shall be a minimum of twenty-four (24) inch box in size, upon initial
28 planting. Thereafter, the trees within the landscape setback shall be permanently
irrigated and maintained by the property owner. At least fifty (50) percent of the trees
within the setback shall consist of evergreen broadleaf trees, while the remaining
percentage may consist of broadleaf deciduous trees and/or palm trees. The trees shall
be identified on the formal Landscape Plan submittal prior to the issuance of a landscape
permit.
- 23 23. The applicant shall plant one (1) tree every thirty (30) feet on-center within the public
24 right-of-way parkway along Cactus Avenue. All trees within the public right-of-way
25 parkway shall be a minimum of twenty-four (24) inch box in size, upon initial planting.
26 Thereafter, the trees within the public right-of-way parking shall be permanently
27 irrigated and maintained, as required by the Public Works Department. The street tree
28 species along Cactus Avenue shall be the *Tristania Conferta* "Brisbane Box" and/or the
Platanus Acerifolia "London Plane". The street trees shall be identified on the formal
Landscape Plan submittal prior to the issuance of a landscape permit.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
24. The applicant shall plant one (1) tree every thirty (30) feet on-center within the public right-of-way parkway along Lilac Avenue. All trees within the public right-of-way parkway shall be a minimum of twenty-four (24) inch box in size, upon initial planting. Thereafter, the trees within the public right-of-way parking shall be permanently irrigated and maintained, as required by the Public Works Department. The street tree species along Lilac Avenue shall be the Robinia Idahoensis "Idaho Locust" and/or the Pistachia Chinensis "Chinese Pistache". The street trees shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
25. The applicant shall plant shrubs that surround all ground mounted equipment and utility boxes, including transformers, fire-department connections, backflow devices, etc. for the purpose of providing screening of said equipment and utility boxes. All equipment and utility box screen shrubs shall be a minimum of five (5) gallons in size upon initial planting, and the shrubs shall be spaced no more than three (3) feet on-center. Thereafter, the equipment and utility box screen shrubs shall be permanently irrigated and maintained into a continuous box-shape with a height of no less than three and one-half (3.5) feet above the finished grade. The shrubs shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
26. The applicant shall plant a substantial amount of trees, shrubs, and groundcover throughout all land on-site and off-site (adjacent to the project site) that is not covered by structures, walkways, parking areas, and driveways. Trees shall be planted a minimum of thirty (30) feet on-center, and all shrubs and groundcover shall be planted an average of three (3) feet on-center or less. All trees shall be minimum of fifteen (15) gallons in size upon initial planting, unless otherwise specified herein. At least fifty (50) percent of the trees shall consist of evergreen broadleaf trees, while the remaining percentage may consist of broadleaf deciduous trees and/or palm trees. All shrubs shall be a minimum of one (1) gallon in size, unless otherwise specified herein. All planter areas shall receive a minimum two (2) inch thick layer of brown bark, organic mulch, and/or decorative rock upon initial planting. Pea gravel and decomposed granite are not acceptable materials to use within planter areas. All planter areas on-site shall be permanently irrigated and maintained. The planting and irrigation shall be identified on the formal Landscape Plan submittal prior to the issuance of a landscape permit.
27. All planting and irrigation shall be installed on-site in accordance with the approved landscape plans and permit prior to the issuance of a Certificate of Occupancy. The installation of the planting and irrigation shall be certified in writing by the landscape architect responsible for preparing the landscape plans prior to the issuance of a Certificate of Occupancy.
28. Any tubular steel fencing and/or sliding gates shall be painted black prior to the issuance of a Certificate of Occupancy, unless specified otherwise herein.
29. All non-glass doors shall be painted to match the color of the adjacent wall prior to the issuance of a Certificate of Occupancy.

30. All signage on the building shall comply with Chapter 18.102 (Regulation of Signs and Advertising Structures) of the Rialto Municipal Code.
31. The applicant shall comply with all conditions of approval for PPD No. 2020-0026 to the satisfaction of the City Engineer, prior to the issuance of a Certificate of Occupancy.
32. All improvements within the public right-of-way require a City of Rialto Encroachment Permit.
33. The applicant shall pay all applicable development impact fees in accordance with the current City of Rialto fee ordinance, including any Transportation and Traffic Fair Share Contribution fees, prior to the issuance of any building permit related to the Project.
34. The applicant shall apply and complete the Special District Annexation for the public street lighting and the public landscape and irrigation, including applicable easement areas, parkway areas, and raised medians along the property frontage, as determined by the City Engineer, prior to the issuance of the Grading/On-site Construction Permit.
35. A City of Rialto Off-site Construction Permit is required for any improvements within the public right-of-way. In an effort to expedite and facilitate improvements in the public right-of-way, the applicant is responsible for submitting a multi-phase master plan traffic control plan which includes all phases of construction in the public right-of-way i.e. sewer, water, overhead, underground, etc. prior to the issuance of Off-Site Construction Permit/Encroachment Permit. Note, in an effort to simplify the permitting process, a single master Off-Site Construction Permit shall replace individual Encroachment Permits to be pulled by the applicant's contractor.
36. At the discretion of the City Engineer, the applicant shall apply for annexation of the underlying property into City of Rialto Landscape and Lighting Maintenance District No. 2 ("LLMD 2") or enter into a landscape maintenance agreement to be recorded on the property. An application fee of \$5,000 shall be paid at the time of application. Annexation into LLMD 2 is a condition of acceptance of any new median, parkway, and/or easement landscaping, or any new public street lighting improvements, to be maintained by the City of Rialto. All final approved plans and documents required for the annexation shall be submitted by the property owner prior to issuance of a building permit. The annexation process shall be completed prior to recordation of any applicable Final Tract/Parcel Maps. For developments with no Final Maps or if the Final Map does not create any new parcels, the annexation process shall be completed prior to issuance of any certificate of occupancy. Due to the required City Council Public Hearing action, the annexation process takes months and as such the developer is advised to submit all plans and documents required for Special District annexation as early-on in the in the plan review and permitting process to avoid any delays with issuance of permit(s) and certificate(s) of occupancy or approval of final map(s).

- 1 37. The applicant shall submit off-site landscaping and irrigation system improvement plans
2 for review and approval at the time of first (1st) public improvement plan submittal to
3 the Public Works Department. The parkway irrigation system shall be separately
4 metered from the on-site private irrigation to be maintained for a period of one (1) year
5 and annexed into a Special District. The off-site landscape and irrigation plans must
6 show separate electrical and water meters to be annexed into the Landscape and
7 Lighting Maintenance District No. 2 via a City Council Public Hearing. The landscape
8 and irrigation plans shall be approved concurrently with the street improvement plans,
9 prior to issuance of a building permit. The landscaping architect must contact the City
10 of Rialto Landscape Contract Specialist at (909) 772-2635 to ensure all landscape and
11 irrigation guidelines are met prior to plan approval. Electrical and water irrigation meter
12 pedestals must not be designed to be installed at or near street intersections or within a
13 raised median to avoid burdensome traffic control set-up during ongoing maintenance.
14
- 15 38. If the property is accepted in the LLMD, the applicant shall guarantee all new parkway
16 landscaping irrigation for a period of one (1) year from the date of the City Engineer
17 acceptance. Any landscaping that fails during the one-year landscape maintenance
18 period shall be replaced with similar plant material to the satisfaction of the City
19 Engineer, and shall be subject to a subsequent one year landscape maintenance period.
20 The applicant must contact the City of Rialto Landscape Contract Specialist at (909)
21 772-2635 to confirm a full twelve (12) months' time of non-interrupted ongoing
22 maintenance.
- 23 39. The applicant shall install City Engineer approved deep root barriers, in accordance with
24 the Public Works Landscape and Irrigation Guidelines, for all trees installed within ten
25 (10) feet of the public sidewalk and/or curb.
- 26 40. All new streetlights shall be installed on an independently metered, City-owned
27 underground electrical system. The developer shall provide documentary proof of
28 application with Southern California Edison ("SCE") for all appropriate service points
and electrical meters prior to the issuance of a Certificate of Occupancy. New meter
pedestals shall be installed, and electrical service paid by the developer, until such time
as the underlying property is annexed into LLMD 2.
41. The applicant shall construct a new underground electrical system for public street
lighting improvements along the project frontage of Santa Ana Avenue, as determined
necessary by the City Engineer. New marbelite streetlight poles with LED light fixtures
shall be installed in accordance with City of Rialto Standard Drawings.
42. The applicant is responsible for requesting from the Public Works Department any
addresses needed for any building(s) and/or any electrical single/dual irrigation meter
pedestal(s). The main building address shall be included on Precise Grading Plans and
Building Plan set along with the PPD number. The electrical meter pedestal addresses
(single or dual) shall be included in the public improvement plans.

- 1 43. The applicant shall submit street improvement plans by a registered California civil
2 engineer to the Public Works Engineering Division for review. The plans shall be
3 approved by the City Engineer prior to the issuance of building permits.
- 4 44. The applicant shall submit streetlight improvement plans by a registered California civil
5 engineer to the Public Works Engineering Division for review. The plans shall be
6 approved by the City Engineer prior to the issuance of building permits.
- 7 45. The applicant shall submit sewer improvement plans by a registered California civil
8 engineer to the Public Works Engineering Division for review. The plans shall be
9 approved by the City Engineer prior to the issuance of building permits.
- 10 46. The applicant shall submit traffic and signage improvement plans by a registered
11 California civil engineer to the Public Works Engineering Division for review. The
12 plans shall be approved by the City Engineer prior to the issuance of building permits.
- 13 47. The applicant shall submit copies of approved water improvement plans prepared by a
14 registered California civil engineer to the Public Works Engineering Division for record
15 purposes. The plans shall be approved by West Valley Water District, the water
16 purveyor, prior to the issuance of building permits.
- 17 48. The applicant shall submit a Precise Grading/Paving Plan prepared by a California
18 registered civil engineer to the Public Works Engineering Division for review and
19 approval. The Grading Plan shall be approved by the City Engineer prior to the issuance
20 of building permits.
- 21 49. The applicant shall submit a Geotechnical/Soils Report, prepared by a California
22 registered Geotechnical Engineer, for and incorporated as an integral part of the grading
23 plan for the proposed development. A copy of the Geotechnical/Soils Report shall be
24 submitted to the Public Works Engineering Division with the first submittal of the
25 Precise Grading Plan.
- 26 50. The applicant shall submit a wet-signed and stamped Earthwork Cut and Fill
27 Certification Letter prepared by a Civil Engineer registered in the State of California to
28 the Public Works Engineering Division for review.
51. The applicant shall provide pad elevation certification for all building pads, in
conformance with the approved Precise Grading Plan, to the Engineering Division prior
to construction of any building foundation.
52. The public street improvements outlined in these Conditions of Approval are intended
to convey to the developer an accurate scope of required improvements, however, the
City Engineer reserves the right to require reasonable additional improvements as may
be determined in the course of the review and approval of street improvement plans
required by these conditions.

- 1 53. All new street improvements in the public right-of-way shall comply with City Council
2 approved Safe Routes to School (SRTS) improvements.
- 3 54. The applicant shall construct asphalt concrete paving for streets in two separate lifts.
4 The final lift of asphalt concrete pavement shall be postponed until such time that on-
5 site construction activities are complete. Unless the City Engineer provide prior
6 authorization, paving of streets in one lift prior to completion of on-site construction is
7 not allowed. If City Engineer authorized, completion of asphalt concrete paving for
8 streets prior to completion of on-site construction activities, requires additional paving
9 requirements prior to acceptance of the street improvements, including, but not limited
10 to: removal and replacement of damaged asphalt concrete pavement, overlay, slurry
11 seal, or other repairs.
- 12 55. The applicant shall repair all street cuts for utilities in accordance with City Standard
13 SC-231 within 72 hours of completion of the utility work; and any interim trench repairs
14 shall consist of compacted backfill to the bottom of the pavement structural section
15 followed by placement of standard base course material in accordance with the Standard
16 Specifications for Public Work Construction ("Greenbook"). The base course material
17 shall be placed the full height of the structural section to be flush with the existing
18 pavement surface and provide a smooth pavement surface until permanent cap paving
19 occurs using an acceptable surface course material.
- 20 56. In accordance with City Ordinance No. 1589, adopted to preserve newly paved streets,
21 any and all street and/or trench cuts in newly paved streets will be subject to moratorium
22 street repair standards as reference in Section 11.04.145 of the Rialto Municipal Code.
- 23 57. The applicant shall backfill and/or repair any and all utility trenches or other excavations
24 within existing asphalt concrete pavement of off-site streets resulting from the proposed
25 development, in accordance with City of Rialto Standard Drawings. The applicant shall
26 be responsible for removing, grinding, paving and/or overlaying existing asphalt
27 concrete pavement of off-site streets including pavement repairs in addition to pavement
28 repairs made by utility companies for utilities installed for the benefit of the proposed
development (i.e. West Valley Water District, Southern California Edison, Southern
California Gas Company, Time Warner, Verizon, etc.). Multiple excavations, trenches,
and other street cuts within existing asphalt concrete pavement of off-site streets
resulting from the proposed Project may require complete grinding and asphalt concrete
overlay of the affected off-site streets, at the discretion of the City Engineer. The
pavement condition of the existing off-site streets shall be returned to a condition equal
to or better than what existed prior to construction of the proposed Project.
58. The applicant shall install underground all existing electrical distribution lines of sixteen
thousand volts or less and overhead service drop conductors, and all telephone,
television cable service, and similar service wires or lines, which are on-site, abutting,
and/or transecting the site, in accordance with Chapter 15.32 of the Rialto Municipal
Code. Utility undergrounding shall extend to the nearest off-site power pole. Unless
City Engineer approved, no new power poles shall be installed. A letter from the owners

of the affected utilities shall be submitted to the City Engineer prior to approval of the Precise Grading/Paving Plan, informing the City that they have been notified of the City's utility undergrounding requirement and their intent to commence design of utility undergrounding plans. When available, the utility undergrounding plan shall be submitted to the City Engineer identifying all above ground facilities in the area of the project to be undergrounded.

59. The applicant shall replace all damaged, destroyed, or modified pavement legends, traffic control devices, signing, striping, and streetlights, associated with the proposed Project shall be replaced as required by the City Engineer prior to issuance of a Certificate of Occupancy.
60. The applicant shall reconstruct any broken, chipped, or unsatisfactory sidewalks or curbs along the entire project frontage, in accordance with the General Plan and the City of Rialto Standard Drawings, as required by the City Engineer, prior to the issuance of a Certificate of Occupancy.
61. The applicant shall provide construction signage, lighting and barricading shall be provided during all phases of construction as required by City Standards or as directed by the City Engineer. As a minimum, all construction signing, lighting and barricading shall be in accordance with Part 6 "Temporary Traffic Control" of the 2014 California Manual on Uniform Traffic Control Devices, or subsequent editions in force at the time of construction.
62. Upon approval of any improvement plan by the City Engineer, the applicant shall provide the improvement plan to the City in digital format, consisting of a DWG (AutoCAD drawing file), DXF (AutoCAD ASCII drawing exchange file), and PDF (Adobe Acrobat) formats. Variation of the type and format of the digital data to be submitted to the City may be authorized, upon prior approval by the City Engineer.
63. The applicant shall construct 4-inch conduit within the parkway area along the entire project frontages of Cactus Avenue and Lilac Avenue for future use, prior to the issuance of a Certificate of Occupancy.
64. The applicant shall dedicate additional right-of-way along the entire frontage of Cactus Avenue, as necessary, to provide the ultimate half-width of 44 feet, as required by the City Engineer.
65. The applicant shall dedicate additional right-of-way along the entire frontage of Lilac Avenue, as necessary, to provide the ultimate half-width of 32 feet, as required by the City Engineer.
66. The applicant shall construct two (2) new thirty (40) foot wide commercial driveway approaches connected to Lilac Avenue, in accordance with City of Rialto Standard Drawings, or as otherwise approved by the City Engineer. Nothing shall be constructed or planted in the corner cut-off area which does exceed or will exceed 30 inches in height

1 in order to maintain an appropriate corner sight distance, as required by the City
2 Engineer.

- 3 67. The applicant shall construct a curb ramp meeting current California State Accessibility
4 standards at both the northwest and southwest corners of the intersection of Lilac
5 Avenue and both new commercial driveways, in accordance with the City of Rialto
6 Standard Drawings. The developer shall ensure that an appropriate path of travel,
7 meeting ADA guidelines, is provided across the driveways, and shall adjust the location
8 of the access ramps, if necessary, to meet ADA guidelines, subject to the approval of
9 the City Engineer. If necessary, additional pedestrian and sidewalk easements shall be
10 provided on-site to construct a path of travel meeting ADA guidelines.
- 11 68. The applicant shall construct a 5-foot-wide sidewalk located adjacent to the curb along
12 the entire project frontages of Cactus Avenue and Lilac Avenue, in accordance with
13 City of Rialto Standard Drawings.
- 14 69. The applicant shall construct an 8 inch curb and gutter located 32 feet east of the
15 centerline along the entire frontage of Cactus Avenue, in accordance with City of Rialto
16 Standard Drawings.
- 17 70. The applicant shall construct an 8 inch curb and gutter located 20 feet west of the
18 centerline along the entire frontage of Lilac Avenue, in accordance with City of Rialto
19 Standard Drawings.
- 20 71. At the discretion of the City Engineer, the applicant shall remove existing pavement and
21 construct new pavement with a minimum pavement section of 4 inches asphalt concrete
22 pavement over 6 inches crushed aggregate base with a minimum subgrade of 24 inches
23 at 95% relative compaction, or equal, along the entire frontages of Cactus Avenue and
24 Lilac Avenue in accordance with City of Rialto Standard Drawings. The pavement
25 section shall be determined using a Traffic Index ("TI") of 6. The pavement section
26 shall be designed by a California registered Geotechnical Engineer using "R" values
27 from the project site and submitted to the City Engineer for approval. Pavement shall
28 extend from clean sawcut edge of pavement at centerline of each street.
72. The applicant shall install "No Stopping Anytime" R26A(S)(CA) signage along the
entire project frontage of Cactus Avenue, as required by the City Engineer.
73. The minimum pavement section for all on-site pavements shall be two (2) inches asphalt
concrete pavement over 4 inches crushed aggregate base with a minimum subgrade of
24 inches at 95% relative compaction, or equal. If an alternative pavement section is
proposed, the proposed pavement section shall be designed by a California registered
Geotechnical Engineer using "R" values from the project site and submitted to the City
Engineer for approval.
74. The applicant shall connect the project to the City of Rialto sewer system and apply for
a sewer connection account with Rialto Water Services.

- 1
- 2 75. Domestic water service to the underlying property is provided by West Valley Water
- 3 District. The applicant shall be responsible for coordinating with West Valley Water
- 4 District and complying with all requirements for establishing domestic water service to
- 5 the property. The design must include fire hydrants along Santa Ana Avenue.
- 6
- 7 76. The applicant shall install a new domestic water line lateral connection to the main water
- 8 line within Santa Ana Avenue, pursuant to the West Valley Water District requirements.
- 9 A water line plan shall be approved by Rialto Water Services prior to the issuance of
- 10 building permits.
- 11
- 12 77. The applicant shall provide certification from Rialto Water Services and West Valley
- 13 Water District that demonstrates that all water and/or wastewater service accounts for
- 14 the project are documented, prior to the issuance of a Certificate of Occupancy or final
- 15 inspection approval from the Public Works Engineering Division.
- 16
- 17 78. The applicant shall submit a Water Quality Management Plan identifying site specific
- 18 Best Management Practices (“BMPs”) in accordance with the Model Water Quality
- 19 Management Plan (“WQMP”) approved for use for the Santa Ana River Watershed.
- 20 The site specific WQMP shall be submitted to the City Engineer for review and approval
- 21 with the Precise Grading Plan. A WQMP Maintenance Agreement shall be required,
- 22 obligating the property owner(s) to appropriate operation and maintenance obligations
- 23 of on-site BMPs constructed pursuant to the approved WQMP. The WQMP and
- 24 Maintenance Agreement shall be approved prior to issuance of a building permit, unless
- 25 otherwise allowed by the City Engineer. The development of the Site is subject to the
- 26 requirements of the National Pollution Discharge Elimination System (NPDES) Permit
- 27 for the City of Rialto, issued by the Santa Ana Regional Water Quality Control Board,
- 28 Board Order No. R8-2010-0036. Pursuant to the NPDES Permit, the Applicant shall
- ensure development of the site incorporates post-construction Best Management
- Practices (“BMPs”) in accordance with the Model Water Quality Management Plan
- (“WQMP”) approved for use for the Santa Ana River Watershed. The Applicant is
- advised that applicable Site Design BMPs will be required to be incorporated into the
- final site design, pursuant to a site specific WQMP submitted to the City Engineer for
- review and approval.
79. The applicant shall prepare a Notice of Intent (NOI) to comply with the California
- General Construction Stormwater Permit (Water Quality Order 2009-0009-DWQ as
- modified September 2, 2009) is required via the California Regional Water Quality
- Control Board online SMARTS system. A copy of the executed letter issuing a Waste
- Discharge Identification (WDID) number shall be provided to the City Engineer prior
- to issuance of a grading or building permit. The applicant’s contractor shall prepare and
- maintain a Storm Water Pollution Prevention Plan (“SWPPP”) as required by the
- General Construction Permit. All appropriate measures to prevent erosion and water
- pollution during construction shall be implemented as required by the SWPPP.

- 1 80. Prior to issuance of a certificate of occupancy or final City approvals, the applicant shall
2 demonstrate that all structural BMP's have been constructed and installed in
3 conformance with approved plans and specifications, and as identified in the approved
4 WQMP.
- 5 81. All stormwater runoff passing through the site shall be accepted and conveyed across
6 the property in a manner acceptable to the City Engineer. For all stormwater runoff
7 falling on the site, on-site retention or other facilities approved by the City Engineer
8 shall be required to contain the increased stormwater runoff generated by the
9 development of the property. Provide a hydrology study, prepared by a Civil Engineer,
10 to determine the volume of increased stormwater runoff due to development of the site,
11 and to determine required stormwater runoff mitigation measures for the proposed
12 development. Final retention basin sizing and other stormwater runoff mitigation
13 measures shall be determined upon review and approval of the hydrology study by the
14 City Engineer and may require redesign or changes to site configuration or layout
15 consistent with the findings of the final hydrology study. The volume of increased
16 stormwater runoff to retain on-site shall be determined by comparing the existing "pre-
17 developed" condition and proposed "developed" condition, using the 100-year
18 frequency storm. All on-site and off-site designs must comply with Federal (NPDES),
19 State, Regional, and City stormwater regulations.
- 20 82. Direct release of on-site nuisance water or stormwater runoff shall not be permitted to
21 the adjacent public streets. Provisions for the interception of nuisance water from
22 entering adjacent public streets from the project site shall be provided through the use
23 of a minor storm drain system that collects and conveys nuisance water to landscape or
24 parkway areas, and in only a stormwater runoff condition, pass runoff directly to the
25 streets through parkway or under sidewalk drains. All on-site and off-site designs must
26 comply with NPDES stormwater regulations.
- 27 83. The applicant shall pay the Project Fair Share Cost established by the approved traffic
28 impact analysis, and as recommended by the Transportation Commission on June 2,
2021, prior to the issuance of any building permits.
84. The original improvement plans prepared for the proposed development and approved
by the City Engineer (if required) shall be documented with record drawing "as-built"
information and returned to the Engineering Division prior to issuance of a final
certificate of occupancy. Any modifications or changes to approved improvement plans
shall be submitted to the City Engineer for approval prior to construction.
85. The applicant shall adhere to the City Council approved franchise agreements and
disposal requirements during all construction activities, in accordance with Section 8.08
(Refuse Collection of the City of Rialto Municipal Code).
86. Prior to commencing with any grading, the applicant shall implement the required
erosion and dust control measures shall be in place. In addition, the following shall be
included if not already identified:

- a. 6 foot high tan colored perimeter screened fencing
 - b. Contractor information signage including contact information along the street frontages of Cactus Avenue and Lilac Avenue.
 - c. Post dust control signage with the following verbiage: "Project Name, WDID No., IF YOU SEE DUST COMING FROM THIS PROJECT CALL: NAME (XXX) XXX-XXX, If you do not receive a response, please call the AQMD at 1-800-CUT-SMOG/1-800-228-7664"
87. The applicant shall remove any graffiti within 24 hours, before, during, and post construction.
 88. The applicant shall submit full architectural and structural plans with all mechanical, electrical, and plumbing plans, structural calculations, truss calculations and layout, rough grading plans approved by Public Works Engineering, Water Quality Management Plan, Erosion Control Plan, Stormwater Pollution Prevention Plan, and Title 24 Energy Calculations to the Building Division for plan check and review, prior to the issuance of building permits.
 89. The applicant shall provide a Scope of Work on the title page of the architectural plan set. The Scope of Work shall call out all work to be permitted (ex. Main structure, perimeter walls, trash enclosure, etc.).
 90. The applicant shall design the structures in accordance with the 2019 California Building Code, 2019 California Mechanical Code, 2019 California Plumbing Code, and the 2019 California Electrical Code, 2019 Residential Code and the 2019 California Green Buildings Standards adopted by the State of California.
 91. The applicant shall design the structures to withstand ultimate wind speed of 130 miles per hour, exposure C and seismic zone D.
 92. The applicant shall submit fire sprinkler, fire alarm systems, and fire hydrant plans to the Building Division for plan review concurrently with building plans and shall be approved prior to the issuance of a building permit.
 93. The applicant shall obtain an Electrical Permit from the Building Division for any temporary electrical power required during construction. No temporary electrical power will be granted to a project unless one of the following items is in place and approved by the Building Division: (A) Installation of a construction trailer, or, (B) Security fencing around the area where the electrical power will be located.
 94. The applicant shall install temporary construction fencing and screening around the perimeter of the project site. The fencing and screening shall be maintained at all times during construction to protect pedestrians.

- 1
- 2 95. The applicant shall install any required temporary construction trailer on private
- 3 property. No trailers are allowed to be located within the public right-of-way. The
- 4 trailer shall be removed prior to the issuance of a Certificate of Occupancy.
- 5
- 6 96. The applicant shall design and construct accessible paths of travel from the building's
- 7 accessible entrances to the public right-of-way, accessible parking, and the trash
- 8 enclosure. Paths of travel shall incorporate (but not limited to) exterior stairs, landings,
- 9 walks and sidewalks, pedestrian ramps, curb ramps, warning curbs, detectable warning,
- 10 signage, gates, lifts and walking surface materials, as necessary. The accessible route(s)
- 11 of travel shall be the most practical direct route between accessible building entrances,
- 12 site facilities, accessible parking, public sidewalks, and the accessible entrance(s) to the
- 13 site, California Building Code, (CBC) Chapter 11, Sec, 11A and 11B.
- 14
- 15 97. Prior to issuance of a Building Permit all of the following must be in place on the Site:
- 16 a portable toilet with hand wash station, temporary construction fencing, and signage on
- 17 each adjacent street saying "If there is any dust or debris coming from this site please
- 18 contact (superintendent number here) or the AQMD if the problem is not being
- 19 resolved" or something similar to this.
- 20
- 21 98. The applicant shall provide temporary toilet facilities for the construction workers. The
- 22 toilet facilities shall always be maintained in a sanitary condition. The construction
- 23 toilet facilities of the non-sewer type shall conform to ANSI ZA.3.
- 24
- 25 99. The applicant shall underground all on site utilities to the new proposed structures, prior
- 26 to the issuance of a Certificate of Occupancy, unless prior approval has been obtained
- 27 by the utility company or the City.
- 28
100. Prior to issuance of Building Permits, site grading final and pad certifications shall be
- submitted to the Building Division, which include elevation, orientation, and
- compaction. The certifications are required to be signed by the engineer of record.
101. The applicant shall provide proof of payment to the Colton Joint Unified School District
- for all required school fees, prior to the issuance of a building permit.
102. Site facilities such as parking open or covered, recreation facilities, and trash dumpster
- areas, and common use areas shall be accessible per the California Building Code,
- Chapter 11.
103. The applicant shall place a copy of the Conditions of Approval herein on within the
- building plan check submittal set and include the PPD number on the right bottom
- corner cover page in 20 point bold, prior to the issuance of a building permit.
104. The applicant shall ensure that a minimum of 65% of all construction and demo debris
- shall be recycled using an approved City of Rialto recycling facility during construction.

Copies of receipts for recycling shall be provided to the City Inspector and a copy shall be placed in the office of the construction site.

105. Prior to issuance of Building Permits, on site water service shall be installed and approved by the responsible agency. On site fire hydrants shall be approved by the Fire Department. No flammable materials will be allowed on the site until the fire hydrants are established and approved.
106. The applicant shall comply with all applicable requirements of the California Fire Code and Chapter 15.28 (Fire Code) of the Rialto Municipal Code.
107. At the discretion of the Rialto Police Department, the applicant shall illuminate all walkways, passageways, and locations where pedestrians are likely to travel with a minimum of 1.5-foot candles (at surface level) of light during the hours of darkness. Lighting shall be designed/constructed in such a manner as to automatically turn on at dusk and turn off at dawn.
108. At the discretion of the Rialto Police Department, the applicant shall illuminate all alleyways, driveways, and uncovered parking areas with a minimum of 1.5-foot candles (at surface level) of light during the hours of darkness. Lighting shall be designed/constructed in such a manner as to automatically turn on at dusk and turn off at dawn.
109. At the discretion of the Rialto Police Department, the applicant shall illuminate all loading dock areas, truck well areas, and delivery areas with a minimum of 1.5 foot-candles (at surface level) of light during the hours of darkness. Lighting shall be designed/constructed in such a manner as to automatically turn on at dusk and turn off at dawn.
110. The applicant shall design/construct all lighting fixtures and luminaries, including supports, poles and brackets, in such a manner as to resist vandalism and/or destruction by hand.
111. The applicant shall provide an illuminated channel letter address prominently placed on the building to be visible to the front of the location, prior to the issuance of a Certificate of Occupancy.
112. At the discretion of the Rialto Police Department, the applicant shall install exterior security cameras at the location that cover the entire Site, prior to the issuance of a Certificate of Occupancy. The security cameras shall be accessible to the Rialto Police Department via FusionONE web application.
113. The applicant shall install Knox boxes immediately adjacent to all vehicle gates as well as the main entrance of the building and at least one (1) rear entrance on the building to facilitate the entry of safety personnel. The Knox boxes shall be installed in such a manner as to be alarmed, resist vandalism, removal, or destruction by hand, and be fully

1 recessed into the building. The Knox boxes shall be equipped with the appropriate keys,
2 for each required location, prior to the first day of business. The Knox-Box placement
3 shall be shown on the formal building plan review submittal prior to the issuance of a
building permit.

4 114. The applicant shall prominently display the address on the building rooftop to be visible
5 to aerial law enforcement or fire aircraft. Specifications to be followed for alphanumeric
6 characters are as follows: Three (3) foot tall and six (6) inches thick alphanumeric
7 characters. The alphanumeric characters shall be constructed in such a way that they are
8 in stark contrast to the background to which they are attached (e.g. white numbers and
letters on a black background), and resistant weathering that would cause a degradation
of the contrast.

9 115. The applicant shall provide an audible alarm within the building, prior to the issuance
10 of a Certificate of Occupancy. The building shall be alarmed in such a way as to emit a
11 continuous audible notification until reset by responsible personnel (e.g. alarmed exit
device / crash bar.

12 116. The applicant or General Contractor shall identify each contractor and subcontractor
13 hired to work at the job site on a Contractor Sublist form and return it to the Business
14 License Division with a Business License application and the Business License tax fee
based on the Contractors tax rate for each contractor.

15 117. Prior to issuance of a Certificate of Occupancy, the applicant shall pay a business license
16 tax based on the applicable tax rate pertaining to the proposed use.

17 **SECTION 6.** The Mayor shall sign the passage and adoption of this resolution and
18 thereupon the same shall take effect and be in force.

19 **PASSED, APPROVED AND ADOPTED** this 12th day of October, 2021.
20

21
22 _____
23 DEBORAH ROBERTSON, MAYOR
24

25
26 **ATTEST:**
27
28

1 _____
2 BARBARA MCGEE, CITY CLERK
3

4 **APPROVED AS TO FORM:**
5
6
7 _____

8 ERIC S. VAIL, CITY ATTORNEY
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

26 STATE OF CALIFORNIA)
27 COUNTY OF SAN BERNARDINO) ss
28 CITY OF RIALTO)

1
2 I, BARBARA MCGEE, City Clerk of the City of Rialto, do hereby certify that the foregoing
3 Resolution No. _____ was duly passed and adopted at a regular meeting of the City Council
4 of the City of Rialto held on the _____ day of _____, 2021.

5 Upon motion of Councilmember _____, seconded by Councilmember
6 _____, the foregoing Resolution No. _____ was duly passed and adopted.

7 Vote on the motion:

8 AYES:

9 NOES:

10 ABSENT:

11 IN WITNESS WHEREOF, I have hereunto set my hand and the Official Seal of the City of
12 Rialto this _____ day of _____, 2021.

13
14
15
16 _____
17 BARBARA MCGEE, CITY CLERK
18
19
20
21
22
23
24
25

26 Exhibit A
27
28